






GLOBAL SQUARE ST - AL



Code	Page	Article
GBSQSPS..	4	GLOBAL SQUARE (ST.PS)
GBSQSSS..	4	GLOBAL SQUARE (ST.SS)
GBSQSAS..	5	GLOBAL SQUARE (ALL.AS)
GBSQSPC..	5	GLOBAL SQUARE (ALL.PC)
GBSQAG..	6	GLOBAL SQUARE (ALL.AG)
GBSQPG..	6	GLOBAL SQUARE (ALL.PG)

GLOBAL ROUND ST - AL - PVC



Code	Page	Article
GBROPS..	7	GLOBAL ROUND (ST.PS)
GBROSS..	7	GLOBAL ROUND (ST.SS)
GBROAS..	8	GLOBAL ROUND (ALL.AS)
GBROPC..	8	GLOBAL ROUND (ALL.PC)
GBROAG..	9	GLOBAL ROUND (ALL.AG)
GBROPG..	9	GLOBAL ROUND (ALL.PG)
GBROP..	10	GLOBAL ROUND PVC
GBROPML..	10	GLOBAL ROUND PVC MARBLE

GLOBAL COVE ST - M - MB



Code	Page	Article
GBCOMBPS..	11	GLOBAL COVE ST
GBCVM51 25..	12	GLOBAL COVE M
GBCOMB51..	12	GLOBAL COVE MB

GLOBAL FLOOR ST - AL - PVC




Code	Page	Article
GBFLPS..	13	GLOBAL FLOOR (ST.PS)
GBFLSS..	13	GLOBAL FLOOR (ST.SS)
GBFLAN..	14	GLOBAL FLOOR (ALL.AN)
GBFLAS..	14	GLOBAL FLOOR (ALL.AS)
GBFLPC..	14	GLOBAL FLOOR (ALL.PC)
GBFLAG..	15	GLOBAL FLOOR (ALL.AG)
GBFLPG..	15	GLOBAL FLOOR (ALL.PG)
GBFLP..	15	GLOBAL FLOOR PVC

GLOBAL TRANS AL 25/35/38 - AL 30/40



Code	Page	Article
GBTR.. A	16	GLOBAL TRANS (ALL. AS-AG-AB)
GBTR.. AB	16	GLOBAL TRANS (ALL. AS-AG-AB)
GBTR.. F	16	GLOBAL TRANS (ALL. AS-AG-AB)

GLOBAL TRANS AL 30/40



Code	Page	Article
GBTR.. A	17	GLOBAL TRANS (ALL. AS-AG-AB)
GBTR.. AB	17	GLOBAL TRANS (ALL. AS-AG-AB)
GBTR.. F	17	GLOBAL TRANS (ALL. AS-AG-AB)
GBTR.. FB	17	GLOBAL TRANS (ALL. AS-AG-AB)

GLOBAL COVER - AL



Code	Page	Article
GBCRAS..	18	GLOBAL COVER (ALL.AS)
GBCRAN..	18	GLOBAL COVER (ALL.AN)
GBBDAN..	18	GLOBAL STRIP (ALL.AN-ON)

GLOBAL SLIDE ST - GLOBAL STAIR AL



Code	Page	Article
GBSLPS... 19		GLOBAL SLIDE (AC)
GBSLPB... 19		GLOBAL SLIDE (NB)
GBSTAS... 19		GLOBAL STAIR (ALL. AS)
GBSTAN... 19		GLOBAL STAIR(ALL. AN)

GLOBAL STYLE AL



Code	Page	Article
GBSYAS..	20	GLOBAL STYLE (ALL. AS)
GBSYAS..	20	GLOBAL STYLE (ALL. AS)
GBSYAG..	20	GLOBAL STYLE (ALL. AG)
GBSYAN..	20	GLOBAL STYLE (ALL. AN)

GLOBAL STEP AL 2520 - AL 2510



Code	Page	Article
GBSP.. 2520A	21	GLOBAL STEP (ALL. AS-AG-AB)
GBSPW..2520A	21	GLOBAL STEP (ALL. AS-AG-AB)
GBSP.. 2520F	21	GLOBAL STEP (ALL. AS-AG-AB)
GBSP.. 2520FB	21	GLOBAL STEP (ALL. AS-AG-AB)
GBSP.. 2510A	22	GLOBAL STEP (ALL. AS-AG-AB)
GBSP.. 25109AB	22	GLOBAL STEP (ALL. AS-AG-AB)
GBSP.. 2510F	22	GLOBAL STEP (ALL. AS-AG-AB)
GBSP.. 25109FB	22	GLOBAL STEP (ALL. AS-AG-AB)

GLOBAL DRAIN - BALC AL



Code	Page	Article
GBBCAS..	23	GLOBAL BALC (ALL. AS)
GBBCAN..	23	GLOBAL BALC (ALL. AN)
GBBCFD..	23	GLOBAL DRAIN (ALL. DG-LG)
JNGBBCFD..	23	GIUNZ. GLOBAL DRAIN (ALL.DG-LG)
ECGBBCFD..	23	ANG. GLOBAL DRAIN (ALL. DG-LG)

GLOBAL WOOD FLT - TRS



Code	Page	Article
GBWF..	24	GLOBAL WOOD FLT
GBWB..	24	GLOBAL WOOD FLT
GBWBR..	24	GLOBAL WOOD FLT
GBWT..	25	GLOBAL WOOD TRS
GBWB..	25	GLOBAL WOOD TRS
GBWT..	25	GLOBAL WOOD TRS

GLOBAL WOOD PER - STN



Code	Page	Article
GBWP..	26	GLOBAL WOOD PER
GBWB..	26	GLOBAL WOOD PER
GBWBR..	26	GLOBAL WOOD PER
GBWS..	27	GLOBAL WOOD STN
GBWS..	27	GLOBAL WOOD STN
GBWB..	27	GLOBAL WOOD STN

GLOBAL PLINT AL - AL 60/80/100




Code	Page	Article
GBPLINAS70	28	GLOBAL PLINT INP
GBPLINAS100 80	28	GLOBAL PLINT INP
GBPLINAS 55 55 100	28	GLOBAL PLINT INP
GBPLAS 60	29	GLOBAL PLINT 60
GBPLAS 80	30	GLOBAL PLINT 80
GBPLAS 100	31	GLOBAL PLINT 100

GLOBAL LEVEL SYSTEM



Code	Page	Article
GBLSL...	32	GLOBAL LEVEL SYSTEM
GBLST...	32	GLOBAL LEVEL SYSTEM
GBLSC...	32	GLOBAL LEVEL SYSTEM
GBLST	32	GLOBAL LEVEL SYSTEM

MARKETING SALES SUPPORT



Code	Page	Article
GLBESPG8484	33	SAMPLE BOARDS
GLBESPP17384	33	SAMPLE BOARDS
GLBESPW	33	SAMPLE BOARDS
GLBESPL	33	SAMPLE BOARDS



GLOBAL SQUARE ST (ST. PS) (Acciaio inox lucido con pellicola protettiva / Polished stainless steel with protective film / Acier inox poli avec film de protection / Edelstahl glänzend mit Schutzfolie)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSQSPS 08	8	2.7 ml	80 Pz/216 ml	7.25	19.58
GBSQSPS 10	10	2.7 ml	80 Pz/216 ml	7.67	20.71
GBSQSPS 11	11	2.7 ml	80 Pz/216 ml	7.91	21.36
GBSQSPS 125	12.5	2.7 ml	80 Pz/216 ml	8.15	22.01

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL SQUARE ST (ST. PS) (Capsule alluminio effetto acciaio lucido / Aluminum capsules with polished stainless steel effect / Capsules alu effet inox poli / Kapseln aus Aluminium mit glänzendem Edelstahleffekt)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBSQSPS 08	8	10 Pz	6.27	62.70
CPGBSQSPS 10	10	10 Pz	6.71	67.10
CPGBSQSPS 11	11	10 Pz	6.97	69.70
CPGBSQSPS 125	12.5	10 Pz	7.29	72.90

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



GLOBAL SQUARE ST (ST. SS) (Acciaio inox satinato con pellicola protettiva / Satined stainless steel with protective film / Acier inox satiné avec film de protection / Edelstahl satiniert mit Schutzfolie)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSQSSS 08	8	2.7 ml	80 Pz/216 ml	9.53	25.73
GBSQSSS 10	10	2.7 ml	80 Pz/216 ml	10.02	27.05
GBSQSSS 11	11	2.7 ml	80 Pz/216 ml	10.26	27.70
GBSQSSS 125	12.5	2.7 ml	80 Pz/216 ml	10.50	28.35

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL SQUARE ST (ST. SS) (Capsule alluminio effetto acciaio satinato / Aluminum capsules with satin stainless steel effect / Capsules alu effet inox satiné / Kapseln aus Aluminium mit satiniertem Edelstahleffekt)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBSQSSS 08	8	10 Pz	7.54	75.40
CPGBSQSSS 10	10	10 Pz	7.98	79.80
CPGBSQSSS 11	11	10 Pz	8.23	82.30
CPGBSQSSS 125	12.5	10 Pz	8.56	85.60


Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



CAPSULE / CAPSULES
CAPSULES / KAPSELN
CPGBSQSPS 08-10-125
CPGBSQSSS 08-10-125




ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG




GAMMA COLORI - COLOUR RANGE - GAMME DE COULEURS - FARBENBEZEICHNUNG






CAPSULE / CAPSULES
CAPSULES / KAPSELN
CPGBSQSAS 08-10-125
CPGBSQSPC 08-10-125



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI - COLOUR RANGE - GAMME DE COULEURS - FARBENBEZEICHNUNG



AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Alu. Silber eloxiert



PC
Alluminio brillantato cromo
Polished chrome aluminium
Aluminium brillanté chromé
Alu. Chrom glänzend

GAMMA COLORI A RICHIESTA - COLOUR RANGE ON DEMAND - GAMME DE COULEURS SUR DEMANDE - FARBEN AUF ANFRAGEN



BS
All. brill. spaz. argento
Brushed silver aluminium
Aluminium anodisé argent
Aluminium silber eloxiert



AT
Alluminio anod. titanio
Anodised titanium aluminium
Aluminium anodisé titane
Aluminium titan eloxiert



BT
All. brillantato titanio
Polished titanium aluminium
Aluminium brillanté titane
Aluminium titan glänzend



GLOBAL SQUARE AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSQSAS 08	8	2,7 ml	80 Pz/216 ml	4,18	11,29
GBSQSAS 10	10	2,7 ml	80 Pz/216 ml	4,43	11,96
GBSQSAS 11	11	2,7 ml	80 Pz/216 ml	4,63	12,50
GBSQSAS 125	12,5	2,7 ml	80 Pz/216 ml	4,82	13,01

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL SQUARE AL (ALL. AS) (Capsule alluminio anodizzato argento / Capsules anodised silver aluminium / Capsules aluminium anodisé argent / Kapseln Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBSQSAS 08	8	10 Pz	4,94	49,40
CPGBSQSAS 10	10	10 Pz	4,94	49,40
CPGBSQSAS 11	11	10 Pz	4,94	49,40
CPGBSQSAS 125	12,5	10 Pz	4,94	49,40

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



GLOBAL SQUARE AL (ALL. PC) (Alluminio brillantato cromo / Polished chrome aluminium / Aluminium brillanté chromé / Alu. Chrom glänzend)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSQSPC 08	8	2,7 ml	80 Pz/216 ml	6,22	16,79
GBSQSPC 10	10	2,7 ml	80 Pz/216 ml	6,64	17,93
GBSQSPC 11	11	2,7 ml	80 Pz/216 ml	6,86	18,52
GBSQSPC 125	12,5	2,7 ml	80 Pz/216 ml	7,07	19,09

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL SQUARE AL (ALL. PC) (Capsule alluminio brillantato cromo / Capsules polished chrome aluminium / Capsules aluminium brillanté chromé / Kapseln Alu. Chrom glänzend)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBSQSPC 08	8	10 Pz	4,70	47,00
CPGBSQSPC 10	10	10 Pz	4,70	47,00
CPGBSQSPC 11	11	10 Pz	4,70	47,00
CPGBSQSPC 125	12,5	10 Pz	4,70	47,00

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



GLOBAL SQUARE AL (ALL. AG) (Alluminio anodizzato oro / Anod. gold aluminium / Aluminium anod. or / Aluminium Gold eloxiert)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSQSAG 08	8	2.7 ml	80 Pz/216 ml	4,18	11.29
GBSQSAG 10	10	2.7 ml	80 Pz/216 ml	4,43	11.96
GBSQSAG 11	11	2.7 ml	80 Pz/216 ml	4,63	12.50
GBSQSAG 125	12.5	2.7 ml	80 Pz/216 ml	4,82	13.01

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL SQUARE AL (ALL. AG) (Capsule alluminio anodizzato oro / Capsules anod. gold aluminium / Capsules aluminium anod. or / Kapseln aluminium Gold eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBSQSAG 08	8	10 Pz	4,94	49,40
CPGBSQSAG 10	10	10 Pz	4,94	49,40
CPGBSQSAG 11	11	10 Pz	4,94	49,40
CPGBSQSAG 125	12.5	10 Pz	4,94	49,40

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



GLOBAL SQUARE AL (ALL. PG) (Alluminio brillantato oro / Polished gold alu. / Aluminium brill. or / Alu. Gold glänzend)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSQSPG 08	8	2.7 ml	80 Pz/216 ml	6,53	17.63
GBSQSPG 10	10	2.7 ml	80 Pz/216 ml	6,97	18.82
GBSQSPG 11	11	2.7 ml	80 Pz/216 ml	7,20	19,44
GBSQSPG 125	12.5	2.7 ml	80 Pz/216 ml	7,42	20,03

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL SQUARE AL (ALL. PG) (Capsule Alluminio brillantato oro / Capsules polished gold alu. / Capsules aluminium brill. or / Kapseln Alu. Gold glänzend)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBSQSPG 08	8	10 Pz	4,94	49,40
CPGBSQSPG 10	10	10 Pz	4,94	49,40
CPGBSQSPG 11	11	10 Pz	4,94	49,40
CPGBSQSPG 125	12.5	10 Pz	4,94	49,40


Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



CAPSULE / CAPSULES
CAPSULES / KAPSELN
CPGBSQSAG 08-10-125
CPGBSQSPG 08-10-125



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI - COLOUR RANGE - GAMME DE COULEURS - FARBENBEZEICHNUNG




GAMMA COLORI A RICHIESTA - COLOUR RANGE ON DEMAND - GAMME DE COULEURS SUR DEMANDE - FARBEN AUF ANFRAGEN



GBROPS 08
GBROSS 08




GBROPS 10
GBROSS 10



GBROPS 11
GBROSS 11




GBROPS 125
GBROSS 125



CAPSULE / CAPSULES
CAPSULES / KAPSELN
CPGBROPS 08-10-125
CPGBROSS 08-10-125



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GLOBAL ROUND ST (ST. PS) (Acciaio inox lucido con pellicola protettiva /
Polished stainless steel with protective film / Acier inox poli avec film de protection /
Edelstahl glänzend mit schutzfolie)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBROPS 08	8	2.7 ml	80 Pz/216 ml	8.33	22.49
GBROPS 10	10	2.7 ml	80 Pz/216 ml	8.94	24.14
GBROPS 11	11	2.7 ml	80 Pz/216 ml	9.27	25.03
GBROPS 125	12.5	2.7 ml	80 Pz/216 ml	9.60	25.92

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL ROUND ST (ST. PS) (Capsule alluminio effetto acciaio lucido /
Aluminum capsules with polished stainless steel effect / Capsules alu effet inox poli /
Kapseln aus Aluminium mit glänzendem Edelstahleffekt)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBROPS 08	8	10 Pz	6.53	65.30
CPGBROPS 10	10	10 Pz	6.97	69.70
CPGBROPS 11	11	10 Pz	7.22	72.20
CPGBROPS 125	12.5	10 Pz	7.54	75.40

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



GLOBAL ROUND ST (ST. SS) (Acciaio inox satinato con pellicola protettiva /
Satinated stainless steel with protective film / Acier inox satiné avec film de protection /
Edelstahl satiniert mit schutzfolie)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBROSS 08	8	2.7 ml	80 Pz/216 ml	9.90	26.73
GBROSS 10	10	2.7 ml	80 Pz/216 ml	10.59	28.59
GBROSS 11	11	2.7 ml	80 Pz/216 ml	10.98	29.65
GBROSS 125	12.5	2.7 ml	80 Pz/216 ml	11.19	30.21

Thermo-packed. Not available less than full pack 80 Pcs

CAPSULE GLOBAL ROUND ST (ST. SS) (Capsule alluminio effetto acciaio satinato /
Aluminum capsules with satin stainless steel effect / Capsules alu effet inox satiné /
Kapseln aus Aluminium mit satiniertem Edelstahleffekt)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBROSS 08	8	10 Pz	7.79	77.90
CPGBROSS 10	10	10 Pz	8.23	82.30
CPGBROSS 11	11	10 Pz	8.49	84.90
CPGBROSS 125	12.5	10 Pz	8.81	88.10

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs

GAMMA COLORI - COLOUR RANGE - GAMME DE
COULEURS - FARBENBEZEICHNUNG



PS
Acciaio inox lucido
Stainless steel polished
Acier inox poli
Edelstahl glänzend



SS
Acciaio inox satinato
Stainless steel satin
Acier inox satiné
Edelstahl satiniert



GLOBAL ROUND AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBROAS 08	8	2,7 ml	80 Pz/216 ml	3,68	9,94
GBROAS 10	10	2,7 ml	80 Pz/216 ml	3,93	10,61
GBROAS 11	11	2,7 ml	80 Pz/216 ml	4,18	11,29
GBROAS 125	12,5	2,7 ml	80 Pz/216 ml	4,43	11,96

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL ROUND AL (ALL. AS) (Capsule alluminio anodizzato argento / Capsules anodised silver aluminium / Capsules aluminium anodisé argent / Kapseln Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBROAS 08	8	10 Pz	3,52	35,20
CPGBROAS 10	10	10 Pz	3,52	35,20
CPGBROAS 11	11	10 Pz	3,52	35,20
CPGBROAS 125	12,5	10 Pz	3,52	35,20

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



GLOBAL ROUND AL (ALL. PC) (Alluminio brillantato cromo / Polished chrome aluminium / Aluminium brillanté chromé / Alu. Chrom glänzend)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBROPC 08	8	2,7 ml	80 Pz/216 ml	6,21	16,77
GBROPC 10	10	2,7 ml	80 Pz/216 ml	6,85	18,50
GBROPC 11	11	2,7 ml	80 Pz/216 ml	7,29	19,68
GBROPC 125	12,5	2,7 ml	80 Pz/216 ml	7,73	20,87

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

CAPSULE GLOBAL ROUND AL (ALL. PC) (Capsule alluminio brillantato cromo / Capsules polished chrome aluminium / Capsules aluminium brillanté chromé / Kapseln Alu. Chrom glänzend)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPGBROPC 08	8	10 Pz	3,52	35,20
CPGBROPC 10	10	10 Pz	3,52	35,20
CPGBROPC 11	11	10 Pz	3,52	35,20
CPGBROPC 125	12,5	10 Pz	3,52	35,20


Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs



CAPSULE / CAPSULES
CAPSULES / KAPSELN
CPGBROAS 08-10-125
CPGBROPC 08-10-125



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI - COLOUR RANGE - GAMME DE
COULEURS - FARBENBEZEICHNUNG



AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Alu. Silber eloxiert



PC
Alluminio brillantato cromo
Polished chrome aluminium
Aluminium brillanté chromé
Alu. Chrom glänzend

GAMMA COLORI A RICHIESTA - COLOUR RANGE
ON DEMAND - GAMME DE COULEURS SUR
DEMANDE - FARBEN AUF ANFRAGEN



BS
All. brill. spaz. argento
Brushed silver aluminium
Aluminium anodisé argent
Aluminium silber eloxiert



AT
Alluminio anod. titanio
Anodised titanium aluminium
Aluminium anodisé titane
Aluminium titan eloxiert



BT
All. brillantato titanio
Polished titanium aluminium
Aluminium brillanté titane
Aluminium titan glänzend


GBROAG 08
GBROPG 08

GLOBAL ROUND PVC

RESINA VINILICA ATOSSICA ANTIURTO
IMPACT-RESISTANT VINYL RESIN
RÉSINE VINYLIQUE ANTICHOC
STOSSFESTES VINYLHARZ

ceramic





GLOBAL COVE M - MB

RESINA VINILICA ATOSSICA ANTIURTO
IMPACT-RESISTANT VINYL RESIN
RÉSINE VINYLIQUE ANTICHOC
STOSSFESTES VINYLHARZ

ceramic



GLOBAL COVE M (Resina vinilica atossica antiurto / impact-resistant vinyl resin / résine vinylique antichoc / stossfestes vinylharz)

ARTICOLO ARTICLE REFERENCE ARTIKEL	LxH. mm LxH. mm LxH. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBCVM51 25	25x25	2,5 ml	80 pz/200 ml	2,77	6,92

Not available less than full pack

RACCORDI GLOBAL COVE M (Resina vinilica atossica antiurto / impact-resistant vinyl resin / résine vinylique antichoc / stossfestes vinylharz)

ARTICOLO ARTICLE REFERENCE ARTIKEL	LxH. mm LxH. mm LxH. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
COGBCVM51 25	25x25	20 pz	1,95	39,00
CIGBCVM51 25	25x25	20 pz	1,95	39,00
CTGBCVM51 25	25x25	20 pz	1,95	39,00
CPGBCVM51 25	25x25	20 pz	1,77	35,40
JTGBCVM51 25	25x25	20 pz	1,77	35,40

Not available less than full pack



GLOBAL COVE MB (Resina vinilica atossica antiurto / impact-resistant vinyl resin / résine vinylique antichoc / stossfestes vinylharz)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBCOMB51 08	8	2,5 ml	80 pz/200 ml	2,96	7,40
GBCOMB51 10	10	2,5 ml	80 pz/200 ml	3,10	7,75
GBCOMB51 125	12,5	2,5 ml	80 pz/200 ml	3,42	8,55

Not available less than full pack


RACCORDI GLOBAL COVE MB (Resina vinilica atossica antiurto / impact-resistant vinyl resin / résine vinylique antichoc / stossfestes vinylharz)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
COGBCOMB51 08	8	20 pz	1,81	36,20
CIGBCOMB51 08	8	20 pz	1,81	36,20
CPGBCOMB51 08	8	20 pz	1,64	32,80
JTGBCOMB51 08	8	20 pz	1,64	32,80
COGBCOMB51 10	10	20 pz	1,81	36,20
CIGBCOMB51 10	10	20 pz	1,81	36,20
CPGBCOMB51 10	10	20 pz	1,64	32,80
JTGBCOMB51 10	10	20 pz	1,64	32,80
COGBCOMB51 125	12,5	20 pz	1,81	36,20
CIGBCOMB51 125	12,5	20 pz	1,81	36,20
CPGBCOMB51 125	12,5	20 pz	1,64	32,80
JTGBCOMB51 125	12,5	20 pz	1,64	32,80

Not available less than full pack




RACCORDI / CORNERS
RACCORDE / ANSCHLUSSSTÜCKE




COGBCVM51 25 CIGBCVM51 25 CTGBCVM51 25 JTGBCVM51 25

ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GBCOMB51 08
GBCOMB51 10
GBCOMB51 125




RACCORDI / CORNERS
RACCORDE / ANSCHLUSSSTÜCKE



COGBCOMB51 08-10-125 CIGBCOMB51 08-10-125 CIGBCOMB51 08-10-125 JTGBCOMB51 08-10-125



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI - COLOUR RANGE
GAMME DE COULEURS - FARBENBEZEICHNUNG



51
Bianco / White
Blanc / Weiss

ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNGGLOBAL FLOOR ST (ST. PS) (Acciaio inox lucido con pellicola protettiva /
Polished stainless steel with protective film / Acier inox poli avec film de protection /
Edelstahl glänzend mit schutzfolie)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/L/M	€/Pz €/Pc €/Stk
GBFLPS 08	8	2,7 ml	80 Pz/216 ml	6,70	18,09
GBFLPS 10	10	2,7 ml	80 Pz/216 ml	7,07	19,09
GBFLPS 11	11	2,7 ml	80 Pz/216 ml	7,18	19,39
GBFLPS 125	12,5	2,7 ml	80 Pz/216 ml	7,31	19,74

Thermo-packed. Not available less than full pack 80 Pcs

GLOBAL FLOOR ST (ST. SS) (Acciaio inox satinato con pellicola protettiva /
Satinated stainless steel with protective film / Acier inox satiné avec film de protection /
Edelstahl satiniert mit schutzfolie)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/L/M	€/Pz €/Pc €/Stk
GBFLSS 08	8	2,7 ml	80 Pz/216 ml	8,27	22,33
GBFLSS 10	10	2,7 ml	80 Pz/216 ml	8,57	23,14
GBFLSS 11	11	2,7 ml	80 Pz/216 ml	8,73	23,57
GBFLSS 125	12,5	2,7 ml	80 Pz/216 ml	8,87	23,95

Thermo-packed. Not available less than full pack 80 Pcs

GAMMA COLORI - COLOUR RANGE
GAMME DE COULEURS - FARBENBEZEICHNUNGPS
Acciaio inox lucido
Stainless steel polished
Acier inox poli
Edelstahl glänzendSS
Acciaio inox satinato
Stainless steel satin
Acier inox satiné
Edelstahl satiniert



GLOBAL FLOOR AL (ALL. AN) (Alluminio naturale / Aluminum natural / Aluminium naturel / Aluminium natur)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Qté min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBFLAN 08	8	2.7 ml	80 Pz/216 ml	1.64	4.43
GBFLAN 10	10	2.7 ml	80 Pz/216 ml	1.84	4.97
GBFLAN 11	11	2.7 ml	80 Pz/216 ml	1.94	5.24
GBFLAN 125	12.5	2.7 ml	80 Pz/216 ml	2.03	5.48

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs



GLOBAL FLOOR AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Qté min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBFLAS 08	8	2.7 ml	80 Pz/216 ml	2.79	7.53
GBFLAS 10	10	2.7 ml	80 Pz/216 ml	2.98	8.05
GBFLAS 11	11	2.7 ml	80 Pz/216 ml	3.11	8.40
GBFLAS 125	12.5	2.7 ml	80 Pz/216 ml	3.23	8.72

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs




GLOBAL FLOOR AL (ALL. PC) (Alluminio brillantato cromo / Polished chrome aluminium / Aluminium brillanté chromé / Alu. Chrom glänzend)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Qté min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBFLPC 08	8	2.7 ml	80 Pz/216 ml	4.57	12.34
GBFLPC 10	10	2.7 ml	80 Pz/216 ml	4.76	12.85
GBFLPC 11	11	2.7 ml	80 Pz/216 ml	4.85	13.10
GBFLPC 125	12.5	2.7 ml	80 Pz/216 ml	4.94	13.34

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

3 mm


GBFLAN 08
GBFLAS 08
GBFLPC 08




GBFLAN 10
GBFLAS 10
GBFLPC 10




GBFLAN 10
GBFLAS 125
GBFLPC 125



GBFLAN 125
GBFLAS 125
GBFLPC 125



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI / COLOUR RANGE / GAMME DE
COULEURS / FARBENBEZEICHNUNG



AN
Alluminio naturale
Aluminum natural
Aluminium naturel
Aluminium natur



AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Alu. Silber eloxiert



PC
Alluminio brillantato cromo
Polished chrome aluminium
Aluminium brillanté chromé
Alu. Chrom glänzend


ALL. NATURALE, ANODIZZATO E BRILLANTATO
 ALU. NATURAL, ANODISED AND POLISHED
 ALU. NATUREL, ANODISÉ ET BRILLANTÉ
 ALU. NATUR, ELOXIERT UND GLÄNZEND

GLOBAL FLOOR AL ◀


GBFLAG 08
 GBFLPG 08




GBFLAG 10
 GBFLPG 10




GBFLAG 11
 GBFLPG 11



GBFLAG 125
 GBFLPG 125



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
 EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GLOBAL FLOOR AL (ALL. AG) (Alluminio anodizzato oro / Anod. gold aluminium /
 Aluminium anod. or / Aluminium Gold eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBFLAG 08	8	2,7 ml	80 Pz/216 ml	2,79	7,53
GBFLAG 10	10	2,7 ml	80 Pz/216 ml	2,98	8,05
GBFLAG 11	11	2,7 ml	80 Pz/216 ml	3,11	8,40
GBFLAG 125	12,5	2,7 ml	80 Pz/216 ml	3,23	8,72

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs



GLOBAL FLOOR AL (ALL. PG) (Alluminio brillantato oro / Polished gold alu. /
 Aluminium brill. or / Alu. Gold glänzend)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBFLPG 08	8	2,7 ml	80 Pz/216 ml	4,57	12,34
GBFLPG 10	10	2,7 ml	80 Pz/216 ml	4,76	12,85
GBFLPG 11	11	2,7 ml	80 Pz/216 ml	4,85	13,10
GBFLPG 125	12,5	2,7 ml	80 Pz/216 ml	4,94	13,34

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs



GLOBAL FLOOR PVC

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBFL... 08	8	2,7 ml	80 Pz/216 ml	1,30	3,51
GBFL... 10	10	2,7 ml	80 Pz/216 ml	1,44	3,89
GBFL... 11	11	2,7 ml	80 Pz/216 ml	1,58	4,27
GBFL... 125	12,5	2,7 ml	80 Pz/216 ml	1,70	4,59

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs

GAMMA COLORI / COLOUR RANGE / GAMME DE
 COULEURS / FARBENBEZEICHNUNG



AG
 Alluminio anodizzato oro
 Anod. gold aluminium
 Aluminium anod. or
 Aluminium Gold eloxiert



PG
 Alluminio brillantato oro
 Polished gold alu.
 Aluminium brill. or
 Alu. Gold glänzend

GAMMA COLORI / COLOUR RANGE / GAMME DE
 COULEURS / FARBENBEZEICHNUNG



51 - Bianco / White
 Blanc / Weiß



516 - Bianco avorio / White ivory
 Blanc ivoire / Elfenbeinweiß



52 - Grigio chiaro / Light Grey
 Gris clair / Hellgrau



53 - Grigio scuro / Cement Grey
 Gris ciment / Zementgrau



54 - Beige chiaro / Light Beige
 Beige clair / Hellbeige



55 - Beige chiaro / Dark Beige
 Beige foncé / Dunkelbeige



56 - Avorio / Ivory
 Ivoire / Elfenbein



511 - Nero / black
 Noir / Schwarz



512 - argento / Silver / Gris
 Argent / Silber



513 - Beige bahama /
 Bahama Beige / Beige
 bahama / Bahama-Beige



518 - Grigio / Grey
 Gris / Grau

GLOBAL TRANS AL 25/35/38

ALLUMINIO ANODIZZATO
ALUMINUM ANODIZED
ALUMINIUM ANODISÉ
ALUMINIUM ELOXIERT

ceramic
wood



GLOBAL TRANS AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend

ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBTR.. 25A	25	2,7 ml	80 Pz/216 ml	3,93	10,61
GBTR.. 35A	35	2,7 ml	80 Pz/216 ml	4,63	12,50
GBTR.. 38A	38	2,7 ml	80 Pz/216 ml	5,07	13,69

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL TRANS AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend



ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBTR.. 259AB	25	0,9 ml	40	4,38
GBTR.. 359AB	35	0,9 ml	40	5,01
GBTR.. 389AB	38	0,9 ml	40	5,45

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs



GLOBAL TRANS AL (ALL. AS - AG - AB) Forato/Drilled/Perce'/Gelocht

ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBTR.. 25F	25	2,7 ml	80 Pz/216 ml	2,86	7,72
GBTR.. 35F	35	2,7 ml	80 Pz/216 ml	3,61	9,75
GBTR.. 38F	38	2,7 ml	80 Pz/216 ml	3,99	10,77


Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL TRANS AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend




ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBTR.. 259FB	25	0,9 ml	40	3,68
GBTR.. 359FB	35	0,9 ml	40	4,32
GBTR.. 389FB	38	0,9 ml	40	4,49

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI - COLOUR RANGE - GAMME DE COULEURS - FARBENBEZEICHNUNG



AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Aluminium Silber eloxiert



AG
Alluminio anodizzato oro
Anod. gold aluminium
Aluminium anod. or
Aluminium Gold eloxiert




AB
Alluminio anodizzato bronzo
Anod. bronze aluminium
Aluminium anod. bronzé
Aluminium Bronze eloxiert




GBTR.. 30A/309AB




GBTR.. 40A



GBTR.. 30F/309FB



GBTR.. 40F



GLOBAL TRANS AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend

ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBTR.. 30A	30 mm	2.7 ml	80 Pz/216 ml	3.93	10.61
GBTR.. 40A	40 mm	2.7 ml	80 Pz/216 ml	5.45	14.72


Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL TRANS AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend



ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBTR.. 309AB	30	0.9 ml	40	4.38

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNGGAMMA COLORI - COLOUR RANGE - GAMME DE
COULEURS - FARBENBEZEICHNUNGAS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Aluminium Silber eloxiertAG
Alluminio anodizzato oro
Anod. gold aluminium
Aluminium anod. or
Aluminium Gold eloxiertAB
Alluminio anodizzato bronzo
Anod. bronze aluminium
Aluminium anod. bronzè
Aluminium Bronze eloxiert

GLOBAL TRANS AL (ALL. AS - AG - AB) Forato/Drilled/Perce'/Gelocht

ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBTR.. 30F	30 mm	2.7 ml	80 Pz/216 ml	3.17	8.56
GBTR.. 40F	40 mm	2.7 ml	80 Pz/216 ml	4.68	12.64

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL TRANS AL (ALL. AS - AG - AB) Forato/Drilled/Perce'/Gelocht



ARTICOLO ARTICLE REFERENCE ARTIKEL	L. mm L. mm L. mm L. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBTR.. 309FB	30 mm	0.90 ml	40 Pz	3.61

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL COVER AL

ALLUMINIO ANODIZZATO & NATURALE
ALUMINUM ANODIZED & NATURAL
ALUMINIUM ANODISE' & NATUREL
ALUMINIUM ELOXIERT & NATUR

ceramic
wood



GLOBAL COVER AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBCRAS 149	14 x 9	2,7 ml	80 Pz/216 ml	2,79	7,53
GBCRAS 269	26 x 9	2,7 ml	80 Pz/216 ml	3,55	9,59

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs




GLOBAL COVER AL (ALL. AN) (Alluminio naturale / Aluminum natural / Aluminium naturel / Aluminium natur)


ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBCRAN 149	14 x 9	2,7 ml	80 Pz/216 ml	1,64	4,43
GBCRAN 269	26 x 9	2,7 ml	80 Pz/216 ml	2,47	6,67

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs


GBCRAS 149
GBCRAN 149



GBCRAS 269
GBCRAN 269



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI / COLOUR RANGE
GAMME DE COULEURS / FARBENBEZEICHNUNG




AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Alu. Silber eloxiert



AN
Alluminio naturale
Aluminum natural
Aluminium naturel
Aluminium natur

GLOBAL STRIP


ALLUMINIO NATURALE & OTTONE NATURALE
ALUMINUM NATURAL & NATURAL BRASS
ALUMINIUM NATUREL & LAITON NATUREL
ALUMINIUM NATUR & MESSING NATUR




GLOBAL STRIP AL (ALL. AN - NB) (Alluminio naturale / Aluminum natural / Aluminium naturel / Aluminium natur - Ottone naturale / Natural brass / Messing natur / Laiton naturel)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBBDAN 510	5 x 10	2,7 ml	80 Pz/216 ml	2,76	7,45
GBBDNB 510	5 x 10	2,7 ml	80 Pz/216 ml	8,09	21,84

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI / COLOUR RANGE
GAMME DE COULEURS / FARBENBEZEICHNUNG



AN
Alluminio naturale
Aluminum natural
Aluminium naturel
Aluminium natur




NB
Ottone naturale
Natural brass
Messing natur
Laiton naturel

A richiesta possono essere realizzate altre finiture della gamma colori. Minimo d'ordine 1080 ML/400 Pz. Tempi di consegna 6 settimane. Prezzo da concordare.
Production on demand of other colours. Minimum order quantity of 1080 LM/400 Pcs. Delivery time 6 weeks. Price to be agreed
D'autres finitions dans la gamme des couleurs peuvent être réalisées sur demande. Minimum de commande 1080 ml/400 Pcs. Délai de livraison 6 semaines. Prix à établir
Auf Anfrage können weitere Oberflächendekors hergestellt werden. Mindestbestellmenge 1080 LFM/400 Stk. Lieferzeit 6 Wochen. Preis zu vereinbaren

ACCIAIO INOX LUCIDO & OTTONE NATURALE
POLISHED STAINLESS STEEL & NATURAL BRASS
ACIER INOX POLI AVEC & LAITON NATUREL
EDELSTAHL GLÄNZEND & MESSING NATUR

GLOBAL SLIDE ST ◀



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG




GAMMA COLORI - COLOUR RANGE
GAMME DE COULEURS - FARBENBEZEICHNUNG



PS
Acciaio inox lucido
Stainless steel polished
Acier inox poli
Edelstahl glänzend



PB
Ottone lucido
Polished Brass
Messing glänzend
Laiton poli



GLOBAL SLIDE ST (ST. PS) (Acciaio inox lucido / Polished stainless steel / Acier inox poli avec / Edelstahl glänzend)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSLPS 10	10	2,7 ml	80 Pz/216 ml	14,48	39,10

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL SLIDE ST (ST. PS) (Acciaio inox lucido / Polished stainless steel / Acier inox poli avec / Edelstahl glänzend)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSLPS 109	10	0,9 ml	40 Pz		16,97

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL SLIDE PB (Ottone naturale / Natural brass / Laiton naturel / Messing natur)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSLPB 10	10	2,7 ml	80 Pz/216 ml	17,17	46,36

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL SLIDE PB (Ottone naturale / Natural brass / Laiton naturel / Messing natur)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSLPB 109	10	0,9 ml	40 Pz		13,99


Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

ALLUMINIO ANODIZZATO & NATURALE
ALUMINUM ANODIZED & NATURAL
ALUMINIUM ANODISE' & NATUREL
ALUMINIUM ELOXIERT & NATUR

GLOBAL STAIR AL ◀



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI - COLOUR RANGE
GAMME DE COULEURS - FARBENBEZEICHNUNG



AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Alu. Silber eloxiert



AN
Alluminio naturale
Aluminium natural
Aluminium naturel
Aluminium natur



GLOBAL STAIR AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSTAS 08	8	2,7 ml	80 Pz/216 ml	5,58	15,07
GBSTAS 10	10	2,7 ml	80 Pz/216 ml	5,83	15,74
GBSTAS 125	125	2,7 ml	80 Pz/216 ml	6,15	16,61

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL STAIR AL (ALL. AN) (Alluminio naturale / Aluminum natural / Aluminium naturel / Aluminium natur)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSTAN 08	8	2,7 ml	80 Pz/216 ml	4,38	30,40
GBSTAN 10	10	2,7 ml	80 Pz/216 ml	4,63	32,16
GBSTAN 125	125	2,7 ml	80 Pz/216 ml	4,94	34,26

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs



GLOBAL STYLE AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSYAS 08	8	2,7 ml	80 Pz/216 ml	6,59	17,79
GBSYAS 10	10	2,7 ml	80 Pz/216 ml	6,85	18,50
GBSYAS 125	125	2,7 ml	80 Pz/216 ml	7,29	19,68

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs



GLOBAL STYLE AL (ALL. AG) (Alluminio anodizzato oro / Anod. gold aluminium / Aluminium anod. or / Aluminium Gold eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSYAG 08	8	2,7 ml	80 Pz/216 ml	6,59	17,79
GBSYAG 10	10	2,7 ml	80 Pz/216 ml	6,85	18,50
GBSYAG 125	125	2,7 ml	80 Pz/216 ml	7,29	19,68


Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs




GLOBAL STYLE AL (ALL. AN) (Alluminio naturale / Aluminum natural / Aluminium naturel / Aluminium natur)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSYAN 08	8	2,7 ml	80 Pz/216 ml	5,32	14,36
GBSYAN 10	10	2,7 ml	80 Pz/216 ml	5,58	15,07
GBSYAN 125	125	2,7 ml	80 Pz/216 ml	5,95	16,07

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs





ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI / COLOUR RANGE
GAMME DE COULEURS / FARBENBEZEICHNUNG



GBSP.. 2520A
GBSP.. 25209AB
GBSPW.. 2520AGBSP.. 2520F
GBSP.. 25209FBESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG30 COLORI LEGNO / 30 WOOD FINISHES
30 COULEURS BOIS/30 HOLZ-FARBEN

Minimum order 100 Pcs. x finish (Delivery time to be confirmed)

GAMMA COLORI / COLOUR RANGE
GAMME DE COULEURS / FARBENBEZEICHNUNG

GLOBAL STEP AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSP.. 2520A	25 x 20	2,7 ml	80 Pz/216 ml	4,94	12,35

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL STEP AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend




ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBSP.. 25209AB	25 X 20	0,90 ml	40 Pz	5,32

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL STEP AL (ALL. 30: LEGNO/WOOD/BOIS/FARBEN) Adesivo/Adhesive/adhesif/selbstklebend

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSPW.. 2520A	25 x 20	2,7 ml	80 Pz/270 ml	9,06	24,46

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs



GLOBAL STEP AL (ALL. AS - AG - AB) Forato/Drilled/Perce'/Gelocht

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSP.. 2520F	25 x 20	2,7 ml	80 Pz/216 ml	3,87	10,45

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL TRANS AL (ALL. AS - AG - AB) Forato/Drilled/Perce'/Gelocht



ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBSP.. 25209FB	25 x 20	0,90 ml	40 Pz	4,38

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL STEP AL 2510


ALLUMINIO ANODIZZATO
ALUMINUM ANODIZED
ALUMINIUM ANODISE'
ALUMINIUM ELOXIERT

ceramic
wood




GBSP. 2510A
GBSP. 25109AB
GBSPW. 2510A

GBSP. 2510F
GBSP. 25109FB



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GLOBAL STEP AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSP. 2510A	25 x 10	2,7 ml	80 Pz/216 ml	4,49	12,12

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL STEP AL (ALL. AS - AG - AB) Adesivo/Adhesive/adhesif/selbstklebend




ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSP. 25109AB	25 x 10	0,90 ml	40 Pz		4,88

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL STEP AL (ALL. 30 LEGNO/WOOD/BOIS/FARBEN) Adesivo/Adhesive/adhesif/selbstklebend

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSPW. 2510A	25 x 10	2,7 ml	80 Pz/216 ml	7,54	20,36

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs. Minimum order 100 Pz (delivery to be confirmed)



GLOBAL STEP AL (ALL. AS - AG - AB) Forato/Drilled/Perce'/Gelocht

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Conf.Pz/ML Pack.pc/ML Cond.pc/ML Ve... pc/ML	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBSP. 2510F	25 x 10	2,7 ml	80 Pz/216 ml	3,36	9,07

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL TRANS AL (ALL. AS - AG - AB) Forato/Drilled/Perce'/Gelocht



ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Conf.Pz/ML Pack.pc Cond.pc Ve... pc	€/Pz €/Pc €/Pc €/Stk
GBSP. 25209FB	25 x 10	0,90 ml	40 Pz	3,99

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

30 COLORI LEGNO / 30 WOOD FINISHES 30 COULEURS BOIS/30 HOLZ-FARBEN

Minimum order 100 Pcs. x finish (Delivery time to be confirmed)



GAMMA COLORI / COLOUR RANGE GAMME DE COULEURS / FARBENBEZEICHNUNG




AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Aluminium Silber eloxiert

AG
Alluminio anodizzato oro
Anod. gold aluminium
Aluminium anod. or
Aluminium Gold eloxiert


AB
Alluminio anodizzato bronzo
Anod. bronze aluminium
Aluminium anod. bronzé
Aluminium Bronze eloxiert

A richiesta possono essere realizzate altre finiture della gamma colori. Minimo d'ordine 1080 ML/400 Pz. Tempi di consegna 6 settimane. Prezzo da concordare.
Production on demand of other colours. Minimum order quantity of 1080 LM/400 Pcs. Delivery time 6 weeks. Price to be agreed
D'autres finitions dans la gamme des couleurs peuvent être réalisées sur demande. Minimum de commande 1080 ml/400 Pcs. Délai de livraison 6 semaines. Prix à établir
Auf Anfrage können weitere Oberflächendekors hergestellt werden. Mindestbestellmenge 1080 LFM/400 Stk. Lieferzeit 6 Wochen. Preis zu vereinbaren


GBBCFDDG 10
1:2



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



RACCORDI / CORNERS
RACCORDE / ANSCHLUSSSTÜCKE



ECGBBCFDDG 10
ECGBBCFDLG 10



GINFDP 10/125AL .../1



GF
Grigio
Grey
Grau
Gris



A
Grigio antracite
Anthracite grey
Grau-anthrazitfarben
Gris anthracite



GLOBAL DRAIN AL (ALL. VERNICIATO) (Alluminio verniciato / Varnished aluminium / Aluminium lackiert / Aluminium laqué)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H.mm H.mm H.mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Stk
GBBCFDDG 10	10	2,7 ml	80 Pz/216 ml	33,31	89,94
GBBCFDLG 10	10	2,7 ml	80 Pz/216 ml	33,31	89,94

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GIUNZIONE GLOBAL DRAIN AL (giunzione in alluminio verniciato /
Capsules anodised aluminium / Capsules aluminium anodisé /
Kapseln Alu. eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Stk
JNGBBCFDDG 10	10	10 Pz	7,71
JNGBBCFDLG 10	10	10 Pz	7,71


Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs

ANGOLI GLOBAL DRAIN (ALL. AS) (Alluminio verniciato / Anodised aluminium / Aluminium anodisé / Alu. eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H. mm H. mm H. mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Stk
ECGBBCFDDG 10	10	10 Pz	46,29
ECGBBCFDLG 10	10	10 Pz	46,29

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 10 Pcs

ALLUMINIO ANODIZZATO & NATURALE
ALUMINUM ANODIZED & NATURAL
ALUMINIUM ANODISE' & NATUREL
ALUMINIUM ELOXIERT & NATUR



ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



GAMMA COLORI - COLOUR RANGE - GAMME DE
COULEURS - FARBENBEZEICHNUNG



AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Alu. Silber eloxiert



AN
Alluminio naturale
Aluminum natural
Aluminium naturel
Aluminium natur



GLOBAL BALC AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium /
Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H.mm H.mm H.mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Stk
GBBCAS 08	8	2,7 ml	80 Pz/216 ml	4,63	12,50
GBBCAS 10	10	2,7 ml	80 Pz/216 ml	5,01	13,53

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs

GLOBAL BALC AL (ALL. AN) (Alluminio naturale / Aluminum natural / Aluminium naturel /
Aluminium natur)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H.mm H.mm H.mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Stk
GBBCAN 08	8	2,7 ml	80 Pz/216 ml	3,74	10,10
GBBCAN 10	10	2,7 ml	80 Pz/216 ml	4,13	11,15

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs



GLOBAL WOOD FLT TOP 35 (ALL. AS - AG - AB)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L-mm L-mm L-mm L-mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWF.. 35	35 mm	2.7 ml	80 Pz/216 ml	6.09	16.44

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Base GBWB.. /GBWBR.. /GBWBR.. P. to be writing in order

GLOBAL WOOD FLT TOP 35 (ALL. 30 LEGNO/WOOD/BOIS/FARBEN)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L-mm L-mm L-mm L-mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWF.. 35	35 mm	2.7 ml	80 Pz/54 ML	11.03	29.78

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Base GBWB.. /GBWBR.. /GBWBR.. P. to be writing in order

GLOBAL WOOD BASE NATURALE ALLUMINIO GBWB 69 / 912 / 1215

ALU

ARTICOLO ARTICLE REFERENCE ARTIKEL	H-mm H-mm H-mm H-mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWB 69	6.5/9.5mm	2.7 ml	80 Pz/216 ml	5.20	14.04
GBWB 912	9.6/12.5mm	2.7 ml	80 Pz/216 ml	5.58	15.07
GBWB 1215	12.6/15.5mm	2.7 ml	80 Pz/216 ml	5.95	16.07

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Wood Top FLT 35 to be writing in order

GLOBAL WOOD BASE RESIN (PVC) GBWBR.. 69 / 912 / 1215

PVC

ARTICOLO ARTICLE REFERENCE ARTIKEL	H-mm H-mm H-mm H-mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Conf.Pz/ML Pack.pc/ML Cond.pc/ML Ve... pc/ML	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWBR 69	6.5/9.5mm	2.7 ml	80 Pz/216 ml	2.72	7.34
GBWBR 912	9.6/12.5mm	2.7 ml	80 Pz/216 ml	2.98	8.05
GBWBR 1215	12.6/15.5mm	2.7 ml	80 Pz/216 ml	3.23	8.72

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Wood Top FLT 35 to be writing in order

GLOBAL WOOD BASE PERIMETRAL RESIN (PVC) GBWBR.. 69R / 912R / 15R

PVC

ARTICOLO ARTICLE REFERENCE ARTIKEL	H-mm H-mm H-mm H-mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWBR 69P	6.5/9.5mm	2.7 ml	80 Pz/216 ml	2.67	7.21
GBWBR 912P	9.6/12.5mm	2.7 ml	80 Pz/216 ml	2.91	7.86
GBWBR 1215P	12.6/15.5mm	2.7 ml	80 Pz/216 ml	3.17	8.56

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Wood Top FLT 35 to be writing in order

GLOBAL WOOD FLT COMPLETE (ALL. AS - AG - AB) GBWB.. + TOP FLT 35

BRICO SELF

ARTICOLO ARTICLE REFERENCE ARTIKEL	H-mm H-mm H-mm H-mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBWFC.. 699B	6.5/9.5mm	0.90 ml	40 Pz	11.41
GBWFC.. 9129B	9.6/12.5mm	0.90 ml	40 Pz	11.60
GBWFC.. 12159B	12.6/15.5mm	0.90 ml	40 Pz	11.79








Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL WOOD FLT COMPLETE (30 LEGNO/WOOD/BOIS/FARBEN) GBWB.. +TOP FLT 35

BRICO SELF

ARTICOLO ARTICLE REFERENCE ARTIKEL	H-mm H-mm H-mm H-mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBWFC.. 699B	6.5/9.5mm	0.90 ml	40 Pz	15.21
GBWFC.. 9129B	9.6/12.5mm	0.90 ml	40 Pz	15.40
GBWFC.. 12159B	12.6/15.5mm	0.90 ml	40 Pz	15.59

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs




30 COLORI LEGNO 30 WOOD FINISHES 30 COULEURS BOIS 30 HOLZ-FARBEN

Minimum order 100 Pcs. x finish (Delivery time to be confirmed)



GAMMA COLORI / COLOUR RANGE / GAMME DE COULEURS FARBENBEZEICHNUNG



30 COLORI LEGNO 30 WOOD FINISHES 30 COULEURS BOIS 30 HOLZ-FARBEN

Minimum order 100 Pcs. x finish (Delivery time to be confirmed)



04W - Faggio scuro
Dark beech



05W - Rovere chiaro
Light oak



06W - Rovere scuro
Dark oak




07W - Ciliegio chiaro
Light cherry



08W - Ciliegio scuro
Dark cherry



09W - Noce rosato
Red walnut



10W - Wengé
Wenge



11W - Decapè
Decapè bleached



13W - Teak indonesia
Indonesian Teak



18W - Zerbano chiaro
Light Zerbano



21W - Rovere cipria
Oak powder




25W - Abete sbiancato
Bleached Fir



28W - Rovere Aspen
Aspen Oak



29W - Rovere bianco
White Oak



30W - Rovere Grigio
Grey Oak



31W - Rovere Victoria
Victoria Oak



32W - Rovere Rosa
Pink Oak




33W - Rovere Segato
Sawed Oak



34W - Rovere Havana
Havana Oak




35W - Rovere Edimburgo
Edimburgo Oak




36W - Rovere Americano
American Oak



37W - Rovere Carvi
Carvi Oak




38W - Rovere Queens
Queens Oak



39W - Olmo Grigio
Grey Elm



40W - Rovere Brown
Brown Oak




41W - Rovere Ice
Ice Oak



42W - Rovere Grace
Grace Oak



43W - Rovere Manhattan
Manhattan Oak



44W - Rovere Miele
Honey Oak



45W - Rovere Marocco
Morocco Oak

GAMMA COLORI / COLOUR RANGE / GAMME DE COULEURS FARBENBEZEICHNUNG




AS
Argento / Silver
Argent / Siber



AG
Oro / Gold
Or / Gold



AB
Bronzo / Bronze
Bronzè / Bronze



GLOBAL WOOD TRS TOP 40 (ALL. AS - AG - AB)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H. mm L x H. mm L x H. mm L x H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWT.. 40	40 x 6.5/9.5	2.7 ml	80 Pz/216 ml	5,76	15,55

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Base GBWB 69 / GBWBR 69 / GBWBR 69 P. to be writing in order

GLOBAL WOOD TRS TOP 40 (ALL. 30 LEGNO/WOOD/BOIS/FARBEN)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H. mm L x H. mm L x H. mm L x H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWT.. 40	40 x 6.5/9.5	2.7 ml	40 Pz/54 ML	11,09	29,94

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs
Sold only with Global Base GBWB 69 / GBWBR 69 / GBWBR 69 P. to be writing in order

GLOBAL WOOD BASE NATURALE ALLUMINIO GBWB 69 / 912 / 1215

ARTICOLO ARTICLE REFERENCE ARTIKEL	H.mm H.mm H.mm H.mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWB 69	6.5/9.5mm	2.7 ml	80 Pz/216 ml	5,20	14,04

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Wood Top TRS 40 to be writing in order

GLOBAL WOOD BASE RESIN (PVC) GBWBR 69 & GBWBR 69P

ARTICOLO ARTICLE REFERENCE ARTIKEL	H.mm H.mm H.mm H.mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWBR 69	6.5/9.5mm	2.7 ml	80 Pz/216 ml	2,72	7,34
GBWBR 69P	6.5/9.5mm	2.7 ml	80 Pz/216 ml	2,67	7,21

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Wood Top TRS 40 to be writing in order

GLOBAL WOOD TRS COMPLETE (ALL. AS - AG - AB) GBWB 69 + TOP TRS 40

ARTICOLO ARTICLE REFERENCE ARTIKEL	H.mm H.mm H.mm H.mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBWTC.. 699B	6.5/9.5mm	0.90 ml	40 Pz	10,65

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL WOOD TRS COMPLETE (30 LEGNO/WOOD/BOIS/FARBEN) GBWB 69+TOP TRS 40

ARTICOLO ARTICLE REFERENCE ARTIKEL	H.mm H.mm H.mm H.mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBWTC.. 699B	6.5/9.5mm	0.90 ml	40 Pz	14,64

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL WOOD TRS TOP 50 (ALL. AS - AG - AB)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H. mm L x H. mm L x H. mm L x H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWT.. 50	50 x 9.5/12.5	2.7 ml	80 Pz/216 ml	6,09	16,44

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Base GBWB 912 / GBWBR 912 / GBWBR 912P. to be writing in order

GLOBAL WOOD TRS TOP 50 (ALL. 30 LEGNO/WOOD/BOIS/FARBEN)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H. mm L x H. mm L x H. mm L x H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWT.. 50	50 x 9.5/12.5	2.7 ml	80 Pz/54 ML	11,60	31,32

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Base GBWB 912 / GBWBR 912 / GBWBR 912P. to be writing in order

GLOBAL WOOD BASE NATURALE ALLUMINIO GBWB 69 / 912 / 1215

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H. mm L x H. mm L x H. mm L x H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWB 912	9.5/12.5mm	2.7 ml	80 Pz/54 ML	5,58	15,07

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Wood Top TRS 50 to be writing in order

GLOBAL WOOD BASE RESIN (PVC) GBWBR 912 or GBWBR 912P

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H. mm L x H. mm L x H. mm L x H. mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWBR 912	9.5/12.5mm	2.7 ml	80 Pz/216 ml	2,98	8,05
GBWBR 912P	9.5/12.5mm	2.7 ml	80 Pz/216 ml	2,91	7,86

Thermo-packed 10 Pz/pc/stk. not available less than full pack 80 Pcs
Sold only with Global Wood Top TRS 50 to be writing in order



GLOBAL WOOD PER TOP 35 (ALL. AS - AG - AB)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L:mm L:mm L:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWP.. 35	35	2.7 ml	80 Pz/216 ml	6.78	18.31

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs
Sold only with Global Base GBWB.. / GBWBR.. P. to be writing in order

GLOBAL WOOD PER TOP 35 (ALL. 30 LEGNO/WOOD/BOIS/FARBEN)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L:mm L:mm L:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWP.. 35	35	2.7 ml	80 Pz/216 ml	12.11	32.70

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs
Sold only with global base GBWB.. /GBWBR.. P. to be writing in order

GLOBAL WOOD BASE NATURALE ALLUMINIO GBWB 69 / 912/1215

ALU

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWB 69	6,5/9,5mm	2.7 ml	80 Pz/216 ml	5.20	14.04
GBWB 912	9,6/12,5mm	2.7 ml	80 Pz/216 ml	5.58	15.07
GBWB 1215	12,6/15,5mm	2.7 ml	80 Pz/216 ml	5.95	16.07

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs
Sold only with Global Wood Top PER 35 to be writing in order

GLOBAL WOOD BASE PERIMETRAL RESIN (PVC) GBWBR.. 69R / 912R /15R

PVC

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWBR 69P	6,5/9,5mm	2.7 ml	80 Pz/216 ml	2.67	7.21
GBWBR 912P	9,6/12,5mm	2.7 ml	80 Pz/216 ml	2.91	7.86
GBWBR 1215P	12,6/15,5mm	2.7 ml	80 Pz/216 ml	3.17	8.56

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs
Sold only with Global Wood Top PER 35 to be writing in order

GLOBAL WOOD PER COMPLETE (ALL. AS - AG - AB) GBWB 69 + TOP PER 35

BRICO SELF

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBWFC.. 699B	6/9mm	0.90 ml	40 Pz	11.34












Thermo-packed 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL WOOD PER COMPLETE (30 LEGNO/WOOD/BOIS/FARBEN) GBWB 69+TOP PER 35

BRICO SELF

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Pc €/Stk
GBWFC.. 699B	6/9mm	0.90 ml	40 Pz	16.35

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 40 Pcs




30 COLORI LEGNO 30 WOOD FINISHES 30 COULEURS BOIS 30 HOLZ-FARBEN

Minimum order 100 Pcs. x finish (Delivery time to be confirmed)



GAMMA COLORI COLOUR RANGE GAMME DE COULEURS FARBENBEZEICHNUNG



30 COLORI LEGNO
30 WOOD FINISHES
30 COULEURS BOIS
30 HOLZ-FARBEN

Minimum order 100 Pcs. x finish (Delivery time to be confirmed)



04W - Faggio scuro
Dark beech



05W - Rovere chiaro
Light oak




06W - Rovere scuro
Dark oak



07W - Ciliegio chiaro
Light cherry



08W - Ciliegio scuro
Dark cherry



09W - Noce rosato
Red walnut




10W - Wengè
Wenge



11W - Decapè
Decapè bleached



13W - Teak Indonesia
Indonesian Teak



18W - Zerbano chiaro
Light Zerbano




21W - Rovere cipria
Oak powder



25W - Abete sbiancato
Bleached Fir



28W - Rovere Aspen
Aspen Oak



29W - Rovere bianco
White Oak




30W - Rovere Grigio
Grey Oak



31W - Rovere Victoria
Victoria Oak




32W - Rovere Rosa
Pink Oak



33W - Rovere Segato
Sawed Oak



34W - Rovere Havana
Havana Oak



35W - Rovere Edimburgo
Edimburgo Oak



36W - Rovere Americano
American Oak



37W - Rovere Carvi
Carvi Oak




38W - Rovere Queens
Queens Oak




39W - Olmo Grigio
Grey Elm



40W - Rovere Brown
Brown Oak



41W - Rovere Ice
Ice Oak




42W - Rovere Grace
Grace Oak



43W - Rovere Manhattan
Manhattan Oak



44W - Rovere Miele
Honey Oak



45W - Rovere Marocco
Morocco Oak

GAMMA COLORI
COLOUR RANGE
GAMME DE COULEURS
FARBENBEZEICHNUNG



AS
Argento / Silver
Argent / Silber



AG
Oro / Gold
Or / Gold



AB
Bronzo / Bronze
Bronzè / Bronze



GLOBAL WOOD STN TOP 25 (ALL. AS - AG - AB)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Langu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWS.. 25	25 x 15	2,7 ml	80 Pz/216 ml	5,90	15,93

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs
Sold only with global base GBWB.. to be writing in order

GLOBAL WOOD STN TOP 25 (ALL. 30 LEGNO/WOOD/BOIS/FARBEN)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Langu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWS.. 25	25 x 15	2,7 ml	80 Pz/ 54 ML	12,61	34,05






Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs
Sold only with Global Base GBWB 69/GBWBR 69/GBWBR 69 p.to be writing in order

GLOBAL WOOD BASE NATURALE ALLUMINIO GBWB 69 / 912/1215

ALU


ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm	Lungh.Pz Length.Pc Langu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBWB 69	6,5/9,5mm	2,7 ml	80 Pz/216 ml	5,20	14,04
GBWB 912	9,6/12,5mm	2,7 ml	80 Pz/216 ml	5,58	15,07
GBWB 1215	12,6/15,5mm	2,7 ml	80 Pz/216 ml	5,95	16,07

Thermo-packed 10 Pz/pc/stk. Not available less than full pack 80 Pcs
Sold only with Global Wood Top STN 25 to be writing in order



GLOBAL PLINT INP AL

ALLUMINIO ANODIZZATO
ALUMINUM ANODIZED
ALUMINIUM ANODISE
ALUMINIUM ELOXIERT



GLOBAL PLINT INP AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H mm H mm H mm H mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBPLINAS 70	70	2 ML	10 Pz / 20 ML	6,46	12,92
GBPLINAS 100	100	2 ML	10 Pz / 20 ML	9,57	19,14

Thermo-packed 10 Pz/pc/stk. not available less than full pack 10 Pcs

GLOBAL PUNCHED SUPPORT (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H mm H mm H mm H mm	Lungh. Pz Length. Pc Longu. Pc Lange. Pc	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
GBPLINAS 55	55	20 mm	6,46	64,60

Packed in bags 10 Pz/pc/stk. not available less than full pack 10 Pcs

CORNER GLOBAL PLINT IN/EXTERNAL (plastica effetto anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H: mm L x H: mm L x H: mm L x H: mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
INPLINAS 70 (internal)	24 x 70	4,08	40,80
EXPLINAS 70 (external)	5 x 70	4,08	40,80
INPLINAS 100 (internal)	24 x 100	4,08	40,80
INPLINAS 100 (external)	5 x 100	4,08	40,80

Packed in bags 10 Pz/pc/stk. Not available less than full pack 10 Pcs

GLOBAL JOINTS PLINT INP AL (plastica verniciata anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H: mm H: mm H: mm H: mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
JIPLINAS 70	70	4,08	40,80
JIPLINAS 100	100	4,08	40,80

Packed in bags 10 Pz/pc/stk. Not available less than full pack 10 Pcs


END CAPS R/L GLOBAL PLINT INP- PLASTICA (plastica verniciata effetto anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H: mm H: mm H: mm H: mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPPLINAS 70SX	70	4,08	40,80
CPPLINAS 100SX	100	4,08	40,80
CPPLINAS 70DX	70	4,08	40,80
CPPLINAS 100DX	100	4,08	40,80


Packed in bags 10 Pz/pc/stk. Not available less than full pack 10 Pcs



ESEMPLI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



RACCORDI / CORNERS
RACCORSI / ANSCHLUSSSTÜCKE




GAMMA COLORI / COLOUR RANGE / GAMME DE COULEURS
/ FARBENBEZEICHNUNG



A richiesta possono essere realizzate altre finiture della gamma colori. Minimo d'ordine 2000 ML/1000 Pz. Tempi di consegna 6 settimane. Prezzo da concordare.
Production on demand of other colours. Minimum order quantity of 2000 LM/1000 Pcs. Delivery time 6 weeks. Price to be agreed
D'autres finitions dans la gamme des couleurs peuvent être réalisées sur demande. Minimum de commande 2000 ml/1000 Pcs. Délai de livraison 6 semaines. Prix à établir
Auf Anfrage können weitere Oberflächendekors hergestellt werden. Mindestbestellmenge 2000 Lfm/1000 Stk. Lieferzeit 6 Wochen. Preis zu vereinbaren

GBPLAS 60




ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



RACCORDI / CORNERS
RACCORDS / ANSCHLUSSSTÜCKE

COPRITAGLIO / EDGE COVER /
COUVRE COUPE / VERBINDER - SHNITTABDECKUNG



GAMMA COLORI - COLOUR RANGE - GAMME DE
COULEURS - FARBENBEZEICHNUNG



GAMMA COLORI A RICHIESTA - COLOUR RANGE
ON DEMAND - GAMME DE COULEURS SUR
DEMANDE - FARBEN AUF ANFRAGEN



GLOBAL PLINT 60 AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium /
Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBPLAS 60	10 x 60	2 Ml	40 Pz	5,39	10,78

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL IN/EXTERNAL CORNER EDGE COVER (plastica verniciata anod. argento / varnished
plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
INPLAS 60 (internal)	20 x 60	4,21	42,10
EXPLAS 60 (external)	20 x 60	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL JOINTS EDGE COVER (plastica verniciata effetto anod. argento / varnished plastic anod.
silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
JIPLAS 60	60	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL END CAPS R/L EDGE COVER (plastica verniciata anod. argento / varnished plastic anod.
silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPPLAS 60SX	60	4,21	42,10
CPPLAS 60DX	60	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL PLINT 80 AL

ALLUMINIO ANODIZZATO
ALUMINUM ANODIZED
ALUMINIUM ANODISE
ALUMINIUM ELOXIERT

skirting boards



GBPLAS 80



GLOBAL PLINT 80 AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBPLAS 80	10 x 80	2 Ml	40 Pz	6,71	13,42

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL IN/EXTERNAL CORNER EDGE COVER (plastica verniciata anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
INPLAS 80 (internal)	20 x 80	4,21	42,10
EXPLAS 80 (external)	20 x 80	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL END CAPS R/L EDGE COVER (plastica verniciata anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
JIPLAS 80	80	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL JOINTS EDGE COVER (plastica verniciata anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)


ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPPLAS 80SX	80	4,21	42,10
CPPLAS 80DX	80	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

ESEMPI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG



RACCORDI / CORNERS
RACCORDS / ANSCHLUSSSTÜCKE



GAMMA COLORI - COLOUR RANGE - GAMME DE COULEURS - FARBENBEZEICHNUNG



AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Aluminium Silber eloxiert

GAMMA COLORI A RICHIESTA - COLOUR RANGE ON DEMAND - GAMME DE COULEURS SUR DEMANDE - FARBEN AUF ANFRAGEN



BS
Alluminio spazzolato argento
Brushed silver aluminium
Aluminium argent brossé
Aluminium Silber gebürstet



PC
Alluminio brillantato cromo
Polished chrome aluminium
Aluminium brillanté chromé
Alu. chrom verchromt



BT
Alluminio spazzolato titanio
Brushed titanium aluminium
Aluminium titane brossé
Aluminium titan gebürstet

GBPLAS 100

H 100 mm

11.4 mm

ESEMPLI DI POSA / EXAMPLES FOR LAYING METHODS
EXEMPLES DE POSE / BEISPIEL FÜR DIE VERLEGUNG

RACCORDI / CORNERS
RACCORDS / ANSCHLUSSSTÜCKE

COPRITAGLIO / EDGE COVER /
COUVRE COUPE / VERBINDER - SHNITTABDECKUNG

INPLAS 100 EXPLAS 100 GIC... 100 CPPLAS 100SX, CPPLAS 100DX

GAMMA COLORI - COLOUR RANGE - GAMME DE COULEURS - FARBENBEZEICHNUNG

AS
Alluminio anodizzato argento
Anodised silver aluminium
Aluminium anodisé argent
Aluminium Silber eloxiert

GAMMA COLORI A RICHIESTA - COLOUR RANGE ON DEMAND - GAMME DE COULEURS SUR DEMANDE - FARBEN AUF ANFRAGEN

BS
Alluminio spazzolato argento
Brushed silver aluminium
Aluminium argent brossé
Aluminium Silber gebürstet

PC
Alluminio brillantato cromo
Polished chrome aluminium
Aluminium brillanté chromé
Alu. chrom verchromt

BT
Alluminio spazzolato titanio
Brushed titanium aluminium
Aluminium titane brossé
Aluminium titan gebürstet

GLOBAL PLINT 100 AL (ALL. AS) (Alluminio anodizzato argento / Anodised silver aluminium / Aluminium anodisé argent / Alu. Silber eloxiert)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm	Lungh.Pz Length.Pc Longu.Pc Lange.Pc	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/ML €/LM €/ML €/LFM	€/Pz €/Pc €/Pc €/Stk
GBPLAS 100	10 x 100	2 Ml	40 Pz	8,37	16,74

Thermo-packed 10 Pz/pc/stk. not available less than full pack 40 Pcs

GLOBAL IN/EXTERNAL CORNER EDGE COVER (plastica verniciata anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
INPLAS 100 (internal)	20 x 100	4,21	42,10
EXPLAS 100 (external)	20 x 100	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL JOINTS EDGE COVER (plastica verniciata anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
CPPLAS 100SX	100	4,21	42,10
CPPLAS 100DX	100	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

GLOBAL END CAPS R/L EDGE COVER (plastica verniciata anod. argento / varnished plastic anod. silver / plastique verni anodisé argent / lackiert elox. silber)

ARTICOLO ARTICLE REFERENCE ARTIKEL	H:mm H:mm H:mm H:mm	€/Pz €/Pc €/Pc €/Stk	€/conf. €/pack. €/cond. €/packung
JIPLAS 100	100	4,21	42,10

Packed in bags 10 Pz/pc/stk. Not available less than full pack 40 Pcs

A richiesta possono essere realizzate altre finiture della gamma colori. Minimo d'ordine 2000 ML/1000 Pz. Tempi di consegna 6 settimane. Prezzo da concordare.
Production on demand of other colours. Minimum order quantity of 2000 LM/1000 Pcs. Delivery time 6 weeks. Price to be agreed
D'autres finitions dans la gamme des couleurs peuvent être réalisées sur demande. Minimum de commande 2000 ml/1000 Pcs. Délai de livraison 6 semaines. Prix à établir
Auf Anfrage können weitere Oberflächendekors hergestellt werden. Mindestbestellmenge 2000 LFM/1000 Stk. Lieferzeit 6 Wochen. Preis zu vereinbaren

GLOBAL TRIMS


31

► GLOBAL LEVEL SYSTEM

products for
laying


ARTICOLO ARTICLE REFERENCE ARTIKEL	Descrizione Description Beschreibung	Sp. mm Th. Mm Ep. mm Stärke mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Stk	€/Conf. €/Pack. €/Cond. €/Packung	Scatole Pz Box Pcs Cond. Boites Pc Verp. Schachteln St
GBLSL1	Global level system livellatori Lineari	1	200	0,100	20,00	5000
GBLSL2	Linear Leveler Global level system	2	200	0,100	20,00	5000
GBLSL3	Global level system niveleurs lineaires	3	200	0,100	20,00	5000
GBLSL3	Lineare Nivelliervorrichtung	3	200	0,100	20,00	5000

Not available less than full pack




ARTICOLO ARTICLE REFERENCE ARTIKEL	Descrizione Description Beschreibung	Sp. mm Th. Mm Ep. mm Stärke mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Stk	€/Conf. €/Pack. €/Cond. €/Packung	Scatole Pz Box Pcs Cond. Boites Pc Verp. Schachteln St
GBLST1	Global level system livellatori a "T"	1	200	0,109	21,80	5000
GBLST2	"T" Leveler Global level system	2	200	0,109	21,80	5000
GBLST3	Global level system niveleurs "demi croix"	3	200	0,109	21,80	5000
GBLST3	T-förmig Nivelliervorrichtung	3	200	0,109	21,80	5000

Not available less than full pack




ARTICOLO ARTICLE REFERENCE ARTIKEL	Descrizione Description Beschreibung	Sp. mm Th. Mm Ep. mm Stärke mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Stk	€/Conf. €/Pack. €/Cond. €/Packung	Scatole Pz Box Pcs Cond. Boites Pc Verp. Schachteln St
GBLSC1	Global level system livellatori a Croce	1	200	0,109	21,800	5000
GBLSC2	Cross Leveler Global level system	2	200	0,109	21,800	5000
GBLSC3	Global level system niveleurs «croix»	3	200	0,109	21,800	5000
GBLSC3	Kreuzförmig Nivelliervorrichtung	3	200	0,109	21,800	5000

Not available less than full pack



ARTICOLO ARTICLE REFERENCE ARTIKEL	Descrizione Description Beschreibung	Sp. mm Th. Mm Ep. mm Stärke mm	Q.ta min. ord. Min. order q.ty Q.té min. cde Mind. Best. Mg	€/Pz €/Pc €/Stk	€/Conf. €/Pack. €/Cond. €/Packung	Scatole Pz Box Pcs Cond. Boites Pc Verp. Schachteln St
GBLST	Global level system Tirante per livellatore Rotating pommel cap for leveler global level system Global level system tirants Zugstange für Nivelliervorrichtung	-	100	0,83	83,00	2000

Not available less than full pack



GLOBAL GRAPHIC SAMPLE BOARD AND SAMPLE BOARD FOR PROFILES - (global espositore pannello grafico e pannello profili / gobal presentoir pour panneau photo et panneau profiles / global ständer für tafel mit bildern und tafel mit profilen.


ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	€/conf. €/pack. €/cond. €/packung
GLBESPG8484	840 X 840	578,15
GLBESPP17384	1735 X 840	1128,40

GLOBAL GRAPHIC SAMPLE BOARD



GLBESPG8484

GLOBAL SAMPLE BOARD FOR PROFILES



GLBESPP17384

GLOBAL SAMPLE BOARDS FOR PROFILES - (global espositore pannello per profili, global panneaux de profilés, global mustertafeln für profilen).



ARTICOLO ARTICLE REFERENCE ARTIKEL	L x H:mm L x H:mm L x H:mm L x H:mm	€/conf. €/pack. €/cond. €/packung
GLBESPW	320 x 450	126,79
GLBESPL	320 x 450	126,79

GLOBAL SAMPLE BOARDS
FOR WOOD

GLBESPW

GLOBAL SAMPLE BOARDS
FOR LVT

GLBESPL



► CONDIZIONI GENERALI DI VENDITA

1) I prezzi indicati nel presente listino non comprendono l'IVA.

2) Minimo d'ordine

Non saranno accettati ordini d'importo merce inferiore a 1000,00 euro. Per ordini di importo merce inferiore a 2000,00 euro addebiteremo 100,00 euro per spese accessorie.

3) Trasporto e termini di consegna

I tempi di consegna presenti in proforma non sono da considerarsi vincolanti e/o comunque perentori in quanto indicativi. Non sono imputabili al fornitore i ritardi di consegna dovuti a cause al di fuori della sua responsabilità e/o ad eventi eccezionali come, a titolo esemplificativo ma non esaustivo, scioperi, blocchi del traffico, incidenti stradali o condizioni meteorologiche estreme che non permettano la consegna delle merci entro i termini indicati.

4) Reclami

La merce viaggia a rischio e pericolo del committente anche se venduta in porto franco. Eventuali reclami relativi allo stato dell'imballo, quantità, numero o caratteristiche esteriori dei prodotti dovranno, a pena decadenza, essere contestati immediatamente al vettore sul documento di trasporto e notificati entro sette giorni a Progress Profiles mediante raccomandata A.R.

Eventuali reclami relativi a difetti non individuabili con un diligente controllo al momento del ricevimento (vizi occulti) dovranno essere notificati a Progress Profiles mediante lettera A.R., a pena di decadenza, entro sette giorni dal riscontro del difetto e comunque non oltre dodici mesi dalla consegna.

E' inteso che eventuali reclami o contestazioni non daranno diritto all'Acquirente di sospendere o comunque ritardare i pagamenti dovuti a Progress Profiles, né dei prodotti oggetto di contestazione né tantomeno di altre forniture. Se il reclamo è valido e giustificato, l'Acquirente ha diritto esclusivamente alla sostituzione del prodotto riconosciuto difettoso da Progress Profiles, che verrà accettato in reso da Progress Profiles solo in confezioni originali integre e complete.

5) Consegne

I termini di consegna non sono impegnativi. Il compratore non può pretendere annullamenti parziali o totali dell'ordine né rifusione di danni nel caso di ritardi o riduzioni delle forniture dovute a causa di forza maggiore o comunque non imputabili a Progress Profiles. Il venditore si riserva di annullare tutto o in parte l'ordine conferito al sorgere di circostanze che ne rendano impossibile l'esecuzione. In tal caso non incomberà su Progress alcun obbligo di risarcire i danni o di fornire il materiale successivamente, ancorché dette circostanze abbiano cessato di esistere. Eventuali scioperi, guerre, epidemie, interruzioni ferroviarie, scarsità di materiali, difficoltà di rifornimento e quante altre cause potessero obbligare il Venditore a sospendere le consegne, si intenderanno come cause di forza maggiore che autorizzeranno la sospensione dell'esecuzione dei contratti. I clienti che ordinano con ritiro a mezzo proprio devono ritirare la merce entro 8 gg. dalla comunicazione di merce pronta. Trascorso tale periodo, il Venditore avrà il diritto di spedire con proprio corriere a spese del Compratore.

6) Prima fornitura

Se non diversamente convenuto, il pagamento s'intende in contrassegno netto sconti.

7) Pagamenti

A mezzo di ricevute bancarie senza spese. Il pagamento dovrà essere effettuato conforme alle condizioni riportate in conferma d'ordine e/o fattura. Per forniture di importo merce inferiore a euro 1000,00 applicheremo un addebito di euro 2,60 per spese amministrative. Per forniture di importo inferiore a euro 5000,00 verrà determinata un'unica scadenza di pagamento, anche se all'Acquirente era stato precedentemente accordato un pagamento frazionato. Scadenze mese di agosto e dicembre. Le scadenze di agosto verranno spostate al 10 settembre. Le scadenze di dicembre, verranno spostate al 10 di gennaio. Ritardato pagamento. In caso di ritardo nel pagamento, Progress Profiles avrà la facoltà di sospendere le consegne e potrà, perdurando l'insolvenza, a sua scelta, provvedere alla consegna del materiale a spese del Compratore presso il suo domicilio o risolvere il contratto per grave inadempimento, fatto salvo in ogni caso il risarcimento del danno e la rifusione di ogni spesa.

8) Insoliti

Addebito di euro 10,50 per spese conseguenti l'insoluto. Addebito di euro 5,20 per spese di eventuale remissione. Addebito all'interesse bancario vigente o ai sensi del D.Lgs. 231/2002 se applicabile, a partire dalla data di scadenza del pagamento fissato fino al pagamento effettivo. Qualunque pagamento effettuato senza gli addebiti sopra indicati conseguenti l'insoluto, comporterà la revisione delle condizioni di sconto e di vendita concordate.

9) Riserva di proprietà (ART. 1523 C.C.)

I materiali rimangono di proprietà del Venditore sino al completo pagamento del prezzo. È espressamente inteso che il mancato rispetto, financo parziale, delle condizioni di pagamento concordate consente alla nostra società, riservandoci comunque ogni altra possibile rivalsa, di procedere al recupero dei materiali oggetto di fornitura, anche se ceduti a terzi. Il cliente risponderà di ogni danno al materiale dovuto a cattiva conservazione o negligenza. Il cliente ha in questo campo tutti gli obblighi del depositario. La ditta fornitrice non assume responsabilità per i danni materiali conseguenti o susseguenti alla posa in opera dello stesso.

10) Garanzie e vizi

Progress Profiles si impegna a porre rimedio a qualunque vizio, mancanza di qualità o difetto di conformità dei prodotti a lei imputabili, verificatosi entro 12 mesi dalla consegna dei prodotti, purché lo stesso le sia stato notificato tempestivamente in conformità a quanto riportato nel paragrafo reclami. In caso di vizi riconosciuti da Progress Profiles, l'acquirente ha esclusivamente diritto alla sostituzione del prodotto. È inteso che la suddetta garanzia è assorbente e sostitutiva delle garanzie previste per legge ed esclude ogni altra responsabilità di Progress Profiles comunque originata dai prodotti finiti. Nessun prodotto potrà essere restituito all'Acquirente senza una preliminare autorizzazione di Progress Profiles. Progress Profiles non garantisce la rispondenza dei prodotti a particolari specifiche o caratteristiche tecniche, o la loro idoneità ad usi e/o utilizzazioni particolari se non nella misura in cui tali caratteristiche siano state espressamente convenute nel contratto. Progress Profiles non sarà ritenuta responsabile per danni che l'Acquirente, o terzi aventi causa da quest'ultimo, vantino di aver subito dall'utilizzazione dei prodotti qualora sia accertato che i danni non dipendono dalla qualità o da caratteristiche intrinseche del prodotto ma, dalla scelta di acquisto o di utilizzo effettuata dall'acquirente.

11) Trasporti espressi

A richiesta del cliente siamo in grado di offrire un servizio di consegna espressa. La maggiorazione per servizio espresso sarà comunicato con il documento conferma d'ordine.

12) Legge Applicabile E Foro Competente Esclusivo

Fatto salvo quando concordato nelle presenti condizioni generali di vendita, la legge applicabile al contratto di Vendita perfezionato tra le medesime è quella italiana.

Per ogni eventuale controversia connessa o derivante dalle presenti Condizioni di vendita e/o dagli ordini ad essa connessi, saranno competenti in via esclusiva il Tribunale di Treviso.

DENNIS BORDIN
AD & CEO



1) The prices indicated in this price list do not include VAT.

2) Minimum order

Orders for goods amounting to less than 1000.00 Euro will not be accepted. For orders of goods amounting to less than 2000.00 Euro, we will charge 100.00 Euro for incidental expenses.

3) Transportation and terms of delivery

Delivery times found on the pro forma invoice are not to be considered binding and/or in any case peremptory since they are merely an indication. Delays in delivery due to causes beyond our responsibility and/or exceptional events such as, by way of mere example and without limitation, strikes, traffic jams, traffic accidents or extreme weather conditions that do not allow goods to be delivered within the specified time limits.

4) Complaints

The goods travel at the risk of the customer even if sold in free of carriage. Any complaints regarding the condition of the packaging, quantity, number or external features of the products must be immediately notified to the carrier on the transport document and informed within seven days to Progress Profiles by registered letter with return receipt.

Any complaints relating to defects not identifiable with a careful control at the time of receipt (hidden defects) must be notified to Progress Profiles by registered letter with return receipt, under penalty of forfeiture, within seven days of the defect and in any case no later than twelve months from delivery. It is understood that any complaints or objections will not entitle the Purchaser to suspend or in any case delay payments due to Progress Profiles for the products covered by the disputes or for any other supplies. If the complaint is valid and justified, the Purchaser is only entitled to the replacement of the defective product recognized by Progress Profiles, which will be accepted in return by Progress Profiles only in intact and complete original packaging.

5) Deliveries

The terms of delivery are not binding. The purchaser cannot claim partial or total cancellation of the order or compensation for damage in the case of delays or reductions in supplies due to force majeure or, in any case, due to causes not attributable to Progress Profiles. The Purchaser reserves the right to cancel all or part of the order on the emergence of circumstances that make it impossible to execute the order. In this case, Progress will not have an obligation to compensate the damage or provide the material subsequently, even if these circumstances have ceased to exist. Possible strikes, wars, epidemics: railway interruptions, lack of materials, provision difficulties and any other causes that may cause the Seller to suspend deliveries, will be understood as causes of force majeure that will authorise the suspension of the execution of contracts. Customers who order with delivery with their vehicle must collect the goods within 8 days from the notification that the products are ready. Once this period has lapsed, the Seller has the right to deliver the goods with its courier at the expense of the Purchaser.

6) First supply

Unless otherwise agreed, payment is understood as cash on delivery.

7) Payments

By bank receipts without expenses. Payment must be made in compliance with the conditions indicated on the order confirmation and/or invoice. We will charge 2.60 Euro for administrative costs on deliveries with amounts less than 1000.00 Euro. For deliveries of less than 5000.00 Euro, a single payment deadline will be set, even if the Purchaser has previously been granted a split payment. Payment deadlines in August and December. Payment deadlines in August will be moved to September 10th. Payment deadlines in December will be moved to January 10th.

Payment delays. In the case of payment delays, Progress Profiles has the right to suspend deliveries and may, at its discretion, deliver the materials to the Purchaser's address, at the latter's expense, or terminate the contract for serious breach, without prejudice, in any case, to compensation for damages and reimbursement of costs.

8) Outstanding invoices

Debit of 10.50 Euro for expenses resulting from outstanding invoices. Debit of 5.20 Euro for costs resulting from the cancellation of debts. Charging current bank interest or interest according to Legislative Decree 231/2002, if applicable, starting from the established payment expiry date until the actual payment. Any payment made without the charges referred to above resulting from outstanding invoices will result in a revision of the discount conditions and agreed sale conditions.

9. Reservation of ownership (Article 1523 of the Italian Civil Code)

The materials remain the property of the Seller until the full payment of the price. It is expressly understood that the non-compliance, even partial, of the agreed payment terms, allows our company, without prejudice to any other action of recourse, to proceed with the recovery of the materials supplied, even if sold to third parties. The customer is liable for any damage to the material due to improper storage or negligence. In this sense, the customer is liable for all storage obligations. The supplier company is not liable for material damage consequent or after the installation of the same.

10) Warranty and defects

Progress Profiles undertakes to remedy any defect, lack of quality, or lack of conformity of the products attributable to the same that has occurred within 12 months from the delivery of the products, provided that the company was promptly notified according to the provisions listed in the complaints section of this document. If Progress Profiles acknowledge the defects, the purchaser has the exclusive right to the replacement of the product. It is understood that the guarantee mentioned above is absorbent and substitutive of the guarantees provided by law and excludes any other liability of Progress Profiles originating from the finished products. No product may be returned to the Purchaser without Progress Profiles' prior authorisation. Progress Profiles does not guarantee the compliance of the products with particular specifications or technical characteristics, or their suitability for particular uses, except insofar as these characteristics have been expressly agreed on in the contract. Progress Profiles will not be held liable for damages that the Purchaser, or third parties entitled by the latter, claim to have suffered from the use of the products if it is established that the damages do not depend on the quality or intrinsic characteristics of the product but the Purchaser's choice in purchase or use.

11) Express delivery

Upon request from the customer, we can provide an express delivery service. The surcharge for the express delivery service will be communicated in the order confirmation document.

12) Applicable Law and Jurisdiction

Without prejudice to other agreements made in these general sales conditions, Italian law is that applicable to the Sales contract signed by the parties. The Court of Treviso has exclusive jurisdiction over any dispute related or deriving from these Sales Conditions and/or the orders associated with the same.

DENNIS BORDIN
AD & CEO



Sede /Headquarter
Progress Profiles SpA
Via Le Marze 7
31011 ASOLO (TV) Italy
Tel. +39 0423 950398
Fax +39 0423 950979
Azienda certificata
UN EN ISO 9001:2015
info@progressprofiles.com
www.progressprofiles.com

CATGGT 2023