



# SKIRTING 60

POLISHED and SATINED  
STAINLESS STEEL AISI 304/1.4301-V2A



EXAMPLE OF LAYING



**SKIRTING** made in stainless steel AISI 304/1.4301-V2A in height 60 mm. Available with or without adhesive. Superior aesthetic quality, extremely strong and easy to lay, it is ideal for all public and private environments that require high standards of hygiene and image. Used increasingly more often in contrast combinations with wood, carpeted floors, etc. for an unmistakable hi-tech effect. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended.



**POLISHED STAINLESS STEEL AISI 304/1.4301-V2A with protective film**  
bar length 2 LM - pack: 25 Pcs - 50 LM

Article	H mm		
BTAC 60A (with adhesive)	60		
BTAC 60 (without adhesive)	60		



**SATINED STAINLESS STEEL AISI 304/1.4301-V2A with protective film**  
bar length 2 LM - pack: 25 Pcs - 50 LM

Article	H mm		
BTACS 60A (with adhesive)	60		
BTACS 60 (without adhesive)	60		

## SUITABLE FOR USE IN CONTACT WITH FOODSTUFFS

### LAYING INSTRUCTIONS

1. Choose the skirting also choose with or without adhesive. 2. Cut the profile to the required length, taking care to calculate the width of the inside-outside corner joints. 3. For the self-adhesive version, the surface must be smooth, grease-free and not porous. It is not recommended for plaster and mortar surfaces (version without adhesive is better, using fast-setting acrylic silicone which is suitable for fixing aluminium to mortar - plaster, etc.). 4. Use the corner linking elements-joints and right and left end caps to facilitate laying.

### COLOURS



(for a precise assessment of colours and finishes, see the relative enclosed sheet)

## IN/OUTSIDE CORNERS, JOINTS, END CAPS

PAINTED PLASTIC (polished chrome finish, is best suited for POLISHED STAINLESS STEEL) and SATINED STAINLESS STEEL

### EDGE COVER CORNERS

painting plastic

**IN/OUTSIDE CORNER - EDGE COVER**  
**POLISHED STEEL EFFECT** - pack: 5 Pcs

Article	H x L mm		
RICTAC 60 (inside)	60 x 20		
RECTAC 60 (outside)	60 x 20		

**JOINTS - EDGE COVER - POLISHED STEEL EFFECT**  
pack: 5 Pcs

Article	H mm		
GICTAC 60	60		

**END CAPS R/L - EDGE COVER - POLISHED STEEL EFFECT**  
pack: 6 Pcs (3 right and 3 left)

Article	H mm		
TPCTAC 60	60		

### FLUSH CORNERS

painting plastic

**IN/OUTSIDE CORNER - FLUSH - POLISHED STEEL EFFECT** pack: 5 Pcs

Article	H x L mm		
RIBAC 60 (inside)	60 x 25		
REBAC 60 (outside)	60 x 25		

**JOINTS - FLUSH - POLISHED STEEL EFFECT**  
pack: 5 Pcs

Article	H mm		
GIBAC 60	60		

**END CAPS R/L - FLUSH - POLISHED STEEL EFFECT**  
pack: 6 Pcs (3 right and 3 left)

Article	H mm		
TPBAC 60/3	60		

### FLUSH CORNERS

satined stainless steel AISI 304/1.4301-V2A

**IN/OUTSIDE CORNER - PRE-WELDED**  
**SATINED STAINLESS STEEL** - pack: 5 Pcs

Article	H x L mm		
RIACS 60 (inside)	60 x 50		
REACS 60 (outside)	60 x 50		

### EDGE COVER CORNERS

painting plastic

**IN/OUTSIDE CORNER - EDGE COVER**  
**SATINED ST. STEEL EFFECT** - pack: 5 Pcs

Article	H x L mm		
RICTACS 60 (inside)	60 x 20		
RECTACS 60 (outside)	60 x 20		

**JOINTS - EDGE COVER - SATINED ST. STEEL EFFECT**  
pack: 5 Pcs

Article	H mm		
GICTACS 60	60		

**END CAPS R/L - EDGE COVER - SATINED ST. STEEL EFFECT**  
pack: 6 Pcs (3 right and 3 left)

Article	H mm		
TPCTACS 60	60		

### FLUSH CORNERS

painting plastic

**IN/OUTSIDE CORNER - FLUSH - SATINED ST. STEEL EFFECT** pack: 5 Pcs

Article	H x L mm		
RIBACS 60 (inside)	60 x 25		
REBACS 60 (outside)	60 x 25		

**JOINTS - FLUSH - SATINED ST. STEEL EFFECT**  
pack: 5 Pcs

Article	H mm		
GIBACS 60	60		

**END CAPS R/L - FLUSH - SATINED ST. STEEL EFFECT**  
pack: 6 Pcs (3 right and 3 left)

Article	H mm		
TPBACS 60/3	60		

