




An interpretation of:
Norwegian National Opera House, Snøhetta, OSLO (Norway), 2008



TERRACE DRAINS



PROCANAL DRAIN SYSTEM



© 2023 All rights reserved by Progress Profiles, Printed in Italy

NEWS

PROCANAL DRAIN is a stainless steel tileable and modular channel AISI 316L / 1.4404 - V4A for the collection and drainage of water in indoor and outdoor environments (terraces, balconies, poolside areas including seafront, sidewalks), which connects perfectly to all waterproofing systems applied under the flooring.


PROCANAL DRAIN: Hidden elegance, guaranteed protection.

Made entirely of AISI 316L stainless steel, the **PROCANAL DRAIN** system ensures corrosion resistance even in marine or high-salinity environments, ensuring durability and reliability over time.

Thanks to its frameless design and 8 mm double slot, the system blends into the flooring, becoming virtually invisible. The grid is tileable and compatible with any type and thickness of tile, ensuring a clean and continuous aesthetic. The 50 mm

perimetral flange allows the use of any waterproofing system and guarantees a workmanlike installation.

Thanks to the flanges, gaskets and fixing bolts, which are equipped with all the elements of the system components, it is possible to satisfy every construction site request and ensure correct water flow. The system is also equipped with elements with central or lateral exhaust and a 90° angle to allow maximum design flexibility.



CHARACTERISTICS

- 8 mm AISI 316L stainless steel double slot system
- The system, once installed and tiled, is completely invisible
- The system is equipped with a 50 mm wide perimetral flange which ensures sealing with any waterproofing under tile
- System equipped with a tileable grid
- Internal height of the channel: 45 mm
- Modular system composed of elements from 50 cm to 2 m long equipped with flanges, gaskets and fixing bolts for perfect water tightness
- Indicated for indoor and outdoor applications
- Seals and fixing bolts are provided for each element of the system.

- 1 EPDM gasket
- 2 Anti-heel slot with a maximum width of 8 mm, ideal for walking barefoot
- 3 Adhesive polypropylene fabric on side flanges and grid

- 4 V-profile bottom to ensure better water flow
- 5 50 mm perimetral flange to ensure sealing to the waterproofing system under tile

- 6 Screed brackets
- 7 Flange with square holes for quick assembly of elements with fixing bolts

MAINTENANCE

PROCANAL DRAIN does not require any special maintenance; as for its cleaning, it is recommended to use normal products for domestic use.

DO NOT USE

In vehicular environments
On large surfaces where high water flow is required

WARNINGS

Do not use PROCANAL DRAIN stainless steel AISI 316L / 1.4404 - V4 in environments where very aggressive substances are present (chemical and pharmaceutical industries). Do not cut the channel body; this operation results in the removal of the flange and therefore the inability to ensure the impermeability of the joint.

NEWS

PROCANAL DRAIN is a modular channel in polished AISI 316L / 1.4404 - V4A stainless steel for the discharge of rainwater in indoor and outdoor environments. It joins with all waterproofing systems applied under the flooring.

PROCANAL DRAIN SYSTEM

STAINLESS STEEL AISI 304/1.4301-V2A


PRCNDR 50



CHANNEL 500 MM
including grid, EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDR 50	500	356,33

PRCNDR 50




PRCNDR 100



CHANNEL 1000 MM
including grid, EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDR 100	1000	594,31

PRCNDR 100




PRCNDR 200



CHANNEL 2000 MM
including grid, EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDR 200	2000	1.045,45

PRCNDR 200




NB: all prices include EPDM seals and fixing bolts

PROCANAL DRAIN SYSTEM


STAINLESS STEEL AISI 304/1.4301-V2A

NEWS




50 CM CHANNEL WITH 50 MM VERTICAL DRAIN
including grid, EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDRVD 50	500	365,65




50 CM CHANNEL WITH 40 MM SIDE DRAIN
including grid, EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDRLD 40	500	375,95



CORNER
including grid, EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDRCR	250 x 250	669,50




CAPS

STAINLESS STEEL AISI 304/1.4301-V2A

NEWS

CLOSING CAP
including EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDRTTP	170	33,48



CAP WITH DRAIN
including EPDM gasket and fixing bolts

Article	L mm	€/Pc
PRCNDRTPLD50	170	83,43




PROSHOWER LATERAL AND VERTICAL DRAIN KIT are 2 central drain systems with lateral or vertical outflow equipped with a siphon, grate support, stainless steel grate, butyl double-sided ring for the fixing of the waterproof section, waterproof section and a protection cap with template function too that allows the correct positioning of the butyl ring and the waterproof section. LATERAL AND VERTICAL DRAIN KIT ensure a correct flow of rainwater.

PROSHOWER DRAIN KIT

LATERAL AND VERTICAL DRAINS

Article	Description	Pc/Pack.	€/Pc
PSHLDK	PROSHOWER DRAIN LATERAL KIT	1	163,24
PSHVDK	PROSHOWER DRAIN VERTICAL KIT	1	137,12



PROSHOWER DRAIN LATERAL KIT PSHLDK

PROSHOWER DRAIN VERTICAL KIT PSHVDK

AREA OF USE

- Use - Balconies, terraces, outdoor surfaces of any size, kitchens and showers.

PRODRIP is a perimeter drain in ASA (Modified ABS) equipped with wall-floor junction. The junction is covered with non-woven polypropylene to ensure sealing with the used waterproofing system.

PRODRIP

PERIMETRAL DRAIN

PERIMETER DRAIN

pack. per pallet = 192

Article	Pcs/Pack.	€/Pc	€/Pack.
PDRP	4	25,56	102,24

AREA OF USE

- Use - To realise perimeter drains on balconies, terraces and outside horizontal surfaces of any size.

