



An interpretation of:
**Grande Arche De la Défense, J. Otto von Spreckelsen,
PARIS (France), 1989**

SKIRTING BOARDS



PROSKIRTING FLAT is the new innovative skirting designed with an integrated system for plasterboard walls, and devised to create a skirting flush to the wall for a modern and contemporary touch.

PROSKIRTING FLAT

ANODIZED,
VARNISHED ALUMINIUM



ORDER THE SUPPORT AND THE TOP YOU WISH

VISIBLE TOP

ANODIZED ALUMINIUM thermo packed
bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm	€/lm	€/Pc
PKFLAA 60	60	11,09	22,18

VISIBLE TOP

ALUMINIUM STONE LINE thermo packed
bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm	€/lm	€/Pc
PKFLA 60-SL05	60	17,74	35,48
PKFLA 60-SL18	60	17,74	35,48

VISIBLE TOP

ALUMINIUM EASY LINE thermo packed
bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm	€/lm	€/Pc
PKFLA 60-EYP01	60	13,12	26,24
PKFLA 60-EYP11	60	13,12	26,24



ORDER THE SUPPORT AND THE TOP YOU WISH

SUPPORT/ PERFORATED BASE

ANODIZED ALUMINIUM thermo packed
bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm	€/lm	€/Pc
PKGCFAA 75	75	11,43	22,86

COLOURS



AA - Anod. silver aluminium

KALEIDOS®


STONE LINE



SL05 - Stone gray


SL18 - Stone white cement

EASY LINE




EYP01 - MATT white varnished
(RAL 9016)

EYP11 - MATT black varnished



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Fix the substrate/perforated base to the wall before laying the plasterboard, calculating all the heights and distances.
2. Lay the plasterboard aligning the lower part flush to the PROSKIRTING FLAT.
3. Plaster and carry out the surface finishing on the plasterboard.
4. Choose the required Top finish, cut and lay the profile fitting the lower part and then the upper part by pressing gently. **IMPORTANT:** Pay attention to the external edges of the aluminium Proskirting. They must be protected against agents such as adhesives and sealants and against grinding or scraping actions.

INTERNAL and EXTERNAL CORNERS, END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

EXTERNAL / INTERNAL CORNER

ANODIZED ALUMINIUM - pack. 1 Pc

Article	H mm	€/Pack
REPKFLAA 60/1	60	10,97

EXTERNAL / INTERNAL CORNER

ALUMINIUM STONE LINE - pack. 1 Pc

Article	H mm	€/Pack
REPKFLA 60-SL05/1	60	17,55
REPKFLA 60-SL18/1	60	17,55

EXTERNAL / INTERNAL CORNER

ALUMINIUM EASY LINE - pack. 1 Pc

Article	H mm	€/Pack
REPKFLA 60-EYP01/1	60	12,86
REPKFLA 60-EYP11/1	60	12,86

END CAPS

ANODIZED ALUMINIUM - pack. 1 Pc

Article	H mm	€/Pack
TPKCHAA 55/1	60	9,08

END CAPS

ALUMINIUM STONE LINE - pack. 1 Pc

Article	H mm	€/Pack
TPKCHA 55-SL05/1	60	14,56
TPKCHA 55-SL18/1	60	14,56

END CAPS

ALUMINIUM EASY LINE - pack. 1 Pc

Article	H mm	€/Pack
TPKCHA 55-EYP01/1	60	10,92
TPKCHA 55-EYP11/1	60	10,92

REPKFLA.../1



TPKCHA.../1




PROSKIRTING INS

ANODISED SILVER AND VARNISHED ALUMINIUM


PROSKIRTING INS is the new innovative skirting designed with an integrated system for plasterboard walls, and devised to create a recessed skirting for a modern and minimalist design in line with the latest trends.

NEWS
KALEIDOS



PKINSA... 60
scale 1:1

EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Fix "PROSKIRTING INS" using screws (concealed part) and glue/silicone (exposed side), before laying the plasterboard, calculating all the heights and distance.
2. Lay the plasterboard aligning the lower part flush to the "PROSKIRTING INS".
3. Plaster and carry out the surface finishing on the plasterboard.

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



ANODIZED ALUMINIUM thermo packed
bar length 2 lm - pack 30 Pcs - 60 lm

Article	H x L mm	€/lm	€/Pc
PKINSA 60	60 X 15	12,25	24,50

ANODIZED STONE LINE thermo packed
bar length 2 lm - pack 30 Pcs - 60 lm

Article	H x L mm	€/lm	€/Pc
PKINSA 60-SL05	60 X 15	19,60	39,20
PKINSA 60-SL18	60 X 15	19,60	39,20

ANODIZED EASY LINE thermo packed
bar length 2 lm - pack 30 Pcs - 60 lm


Article	H x L mm	€/lm	€/Pc
PKINSA 60-EYP01	60 X 15	14,70	29,40
PKINSA 60-EYP11	60 X 15	14,70	29,40

COLOURS




KALEIDOS

STONE LINE



EASY LINE




PROSKIRTING LINE

ANODISED SILVER AND VARNISHED ALUMINIUM

PROSKIRTING LINE is a skirting board made of silver anodized aluminum, or varnished aluminium consisting of a vertical part with rear grooves that improve adhesion and a horizontal part positioned at the top of the profile. The profile is fixed to the support using PROBAND FIX. Once installed, the upper part of the profile is flush with the wall. PROSKIRTING LINE in aluminum is suitable as a skirting board for any interior environment.

NEWS
KALEIDOS



PKLIA... 60
scale 1:1



ANODIZED SILVER ALUMINIUM thermo packed
bar length 2 lm - pack 40 Pcs - 80 lm

Article	H x L mm	€/lm	€/Pc
PKLIAA 60	61 x 2,5	10,63	21,26




ALUMINIUM EASY LINE thermo packed
bar length 2 lm - pack 40 Pcs - 80 lm

Article	H x L mm	€/lm	€/Pc
PKLIA 60-EYP01	61 x 2,5	12,76	25,52
PKLIA 60-EYP11	61 x 2,5	12,76	25,52

EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS

1. Fix the "PROSKIRTING LINE" using glue/silicone (exposed side), before making the required coat, calculating all the heights and distances.
2. Carry out the surface finishing aligning the lower part flush to the "PROSKIRTING LINE".

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



COLOURS



KALEIDOS

EASY LINE




NEWS
KALEIDOS

PROSKIRTING INS 202060 is an anodized or painted aluminium skirting board, composed of a 60 mm vertical part, equipped with horizontal stripes to facilitate bonding and a horizontal protruding 20 mm part on which to lay the plasterboard. The cavity that is created can also be used for laying any skirting flush with the wall or left exposed. PROSKIRTING INS 202060 aluminum is suitable as baseboards in any interior environment.

PROSKIRTING INS 202060

ANODIZED SILVER, VARNISHED ALUMINIUM



ANODIZED SILVER ALUMINIUM thermo packed
bar length 2,7 lm - pack. 20 Pcs - 54 lm


Article	H mm	H1 mm	H2 mm	€/ml	€/Pc
PKINSAA 202060	60	20	39	10,25	27,68




ALUMINIUM EASY LINE EASY LINE thermo packed
bar length 2,7 lm - pack. 20 Pcs - 54 lm

Article	H mm	H1 mm	H2 mm	€/ml	€/Pc
PKINS 202060-EYP11	60	20	39	12,30	33,21
PKINS 202060-EYP01	60	20	39	12,30	33,21

PKINS..
scale 1:1



COLOURS



AA - Anod. silver aluminium

KALEIDOS

EASY LINE





EYP01 - MATT white varnished
(RAL 9016)



EYP11 - MATT black varnished

EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS

1. Fix to the wall with adhesive "PROSKIRTING INS 202060" 2. Lay the plasterboard taking care to align it below with the horizontal section 3. Apply the desired finish 4. Immediately remove product residues from the profile surface.




PROSHADOW GAP 25

ANODISED SILVER AND VARNISHED ALUMINIUM

PROSHADOW GAP 25 is an aluminium skirting board, anodised or painted, composed of a 34 mm vertical part, equipped with horizontal grooves to facilitate bonding and a 13 mm protruding horizontal part on which to place the plasterboard. An LED strip can be applied to the cavity created under the protruding part. The profile allows for a 25mm perimeter rabbet on the floor. PROSHADOW GAP 25 made of aluminum is suitable as a skirting board in any indoor environment.

NEWS



PSHDWSK 25...
scale 1:1



ALUMINIUM STONE LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml


Article	H mm	€/ml	€/Pcs
PSHDWSK 25-SL05	25	22,40	44,80
PSHDWSK 25-SL08	25	22,40	44,80
PSHDWSK 25-SL18	25	22,40	44,80



ANODIZED SILVER ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PSHDWSKAA 25	25	14,00	28,00

EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS




1. Choose PROSHADOW GAP 25 depending on the desired finish.
2. Cut PROSHADOW GAP 25 to the desired length.
3. Secure the profile to the wall with screws or adhesive.
4. Lay the gypsum board taking care to align it at the bottom with the horizontal section.
5. Immediately remove product residue from the profile surface.

ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PSHDWSK 25-EYP01	25	16,80	33,60
PSHDWSK 25-EYP11	25	16,80	33,60

COLOURS

KALEIDOS



END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

Available from June 2026

END CAPS R / L - ANODISED SILVER ALUMINIUM

pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPSHDWSKAA 25/1	25	13,00

END CAPS R / L - ALUMINIUM STONE LINE


pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPSHDWSK 25-SL05/1	25	20,80
TPSHDWSK 25-SL08/1	25	20,80
TPSHDWSK 25-SL18/1	25	20,80

END CAPS R / L - ALUMINIUM EASY LINE

pack. 2 Pcs (1 right and 1 left)


Article	H mm	€/Pack
TPSHDWSK 25-EYP01/1	25	15,60
TPSHDWSK 25-EY011/1	25	15,60



PROSHADOW GAP 2520

VARNISHED ALUMINIUM

PROSHADOW GAP 2520 is an aluminum skirting board, anodized or painted, composed of a 53 mm vertical part, equipped with horizontal grooves to facilitate bonding and a 20 mm protruding horizontal part on which to rest the gypsum board. In the cavity that is created under the protruding part, an LED strip can be applied and possibly closed with a polycarbonate plate. The profile allows for a 25 mm perimeter rabbet on the floor. PROSHADOW GAP 2520 made of aluminum is suitable as a skirting board in any indoor environment.



PSHDWSK 2520...
scale 1:1




ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PSHDWSK 2520-EYP01	25	21,84	43,68
PSHDWSK 2520-EYP11	25	21,84	43,68




POLYCARBONATE COVER LED PROFILE
bar lenght 2 ml

Article	€/ml	€/Pcs
PSHDWPIAO	5,39	10,78



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Choose PROSHADOW GAP 2520 depending on the desired finish.
2. Cut PROSHADOW GAP 2520 to the desired length.
3. Secure the profile to the wall with screws or adhesive.
4. Lay the gypsum board taking care to align it at the bottom with the horizontal section.
5. Immediately remove product residue from the profile surface.

COLOURS KALEIDOS[®] EASY LINE

EYP01 - MATT white varnished (RAL 9016)	EYP11 - MATT black varnished

END CAPS VARNISHED ALUMINIUM

Available from June 2026

END CAPS R / L - ALUMINIUM EASY LINE
pack 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPSHDWSK 2520-EYP01/1	25	20,28
TPSHDWSK 2520-EY011/1	25	20,28

NEWS

PROSHADOW GAP 2513 is an aluminum skirting board, anodized or painted, composed of a 53 mm vertical part, equipped with horizontal grooves to facilitate bonding and a 13 mm protruding horizontal part on which to rest the gypsum board. In the cavity that is created under the protruding part, an LED strip can be applied and possibly closed with a polycarbonate plate. The profile allows for a 25 mm perimeter rabbet on the floor. PROSHADOW GAP 2513 made of aluminum is suitable as a skirting board in any indoor environment.

PROSHADOW GAP 2513

VARNISHED ALUMINIUM




ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PSHDWSK 2513-EYP01	25	19,32	38,64
PSHDWSK 2513-EYP11	25	19,32	38,64




POLYCARBONATE COVER LED PROFILE
bar lenght 2 ml


Article	€/ml	€/Pcs
PSHDWPIAO	5,39	10,78



PSHDWSK 2513...
scale 1:1



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Choose PROSHADOW GAP 2513 depending on the desired finish.
2. Cut PROSHADOW GAP 2513 to the desired length.
3. Secure the profile to the wall with screws or adhesive.
4. Lay the gypsum board taking care to align it at the bottom with the horizontal section.
5. Immediately remove product residue from the profile surface.

COLOURS

KALEIDOS®

EASY LINE

EYP01 - MATT white varnished (RAL 9016)	EYP11 - MATT black varnished

END CAPS

VARNISHED ALUMINIUM

Available from June 2026

END CAPS R / L - ALUMINIUM EASY LINE
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPSHDWSK 2513-EYP01/1	25	17,94
TPSHDWSK 2513-EY011/1	25	17,94


PROSKIRTING ROUND 40

ANODISED SILVER AND VARNISHED ALUMINIUM

PROSKIRTING ROUND 40 is an anodized, polished, brushed and painted aluminum skirting board profile in various versions, 60 mm high and 10 mm wide which can be fixed directly to the wall with adhesive or via an aluminum support. The aluminum support is 20 mm long and is fixed with dowels to the wall, approximately every 50 cm. PROSKIRTING ROUND 40 in aluminum is suitable as a skirting board in any internal environment.

Available from June 2026

NEWS



ANODIZED SILVER ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml


Article	H mm	€/ml	€/Pcs
PKRAA 40	40	9,80	19,60



ALUMINIUM STONE LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKRA 40-SL01	40	15,68	31,36
PKRA 40-SL05	40	15,68	31,36
PKRA 40-SL18	40	15,68	31,36

EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Choose "PROSKIRTING ROUND 40" according to the desired finish. 2. Fix the perforated support to the wall with the dowels every approximately 50 cm. 3. If applicable, install low voltage electrical cables such as network, telephone, TV and satellite cables. 4. Fix "PROSKIRTING ROUND 40" to the supports.

PUNCHED SUPPORT - Natural aluminium
bar lenght 2 cm - pack. 1 PCS

Article	H mm	€/pack.
PKGS 37	37	0,35

ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml


Article	H mm	€/ml	€/Pcs
PKRA 40-EYP01	40	11,62	23,24
PKRA 40-EYP11	40	11,62	23,24

COLOURS

KALEIDOS



EASY LINE



INTERNAL and EXTERNAL CORNERS, END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

EXTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
REPKRAA 40/1	40	8,49

INTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
RIPKRAA 40/1	40	8,49

END CAPS R / L - ANODISED SILVER ALUMINIUM
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRAA 40/1	40	16,34

EXTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKRA 40-SL01/1	40	13,58
REPKRA 40-SL05/1	40	13,58
REPKRA 40-SL18/1	40	13,58

INTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
RIPKRA 40-SL01/1	40	13,58
RIPKRA 40-SL05/1	40	13,58
RIPKRA 40-SL18/1	40	13,58

END CAPS R / L - ALUMINIUM STONE LINE
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRA 40-SL01/1	40	26,14
TPKRA 40-SL05/1	40	26,14
TPKRA 40-SL18/1	40	26,14

EXTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKRA 40-EYP01/1	40	10,19
REPKRA 40-EYP11/1	40	10,19

INTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
RIPKRA 40-EYP01/1	40	10,19
RIPKRA 40-EYP11/1	40	10,19

END CAPS R / L - ALUMINIUM EASY LINE
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRA 40-EYP01/1	40	19,6
TPKRA 40-EYP11/1	40	19,6

NEWS

PROSKIRTING ROUND 60 is an anodized, polished, brushed and painted aluminum skirting board profile in various versions, 60 mm high and 10 mm wide which can be fixed directly to the wall with adhesive or via an aluminum support. The aluminum support is 20 mm long and is fixed with dowels to the wall, approximately every 50 cm. PROSKIRTING ROUND 60 in aluminum is suitable as a skirting board in any internal environment.

Available from June 2026

PROSKIRTING ROUND 60

ANODISED SILVER AND VARNISHED ALUMINIUM

Available from June 2026



ANODIZED SILVER ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKRAA 60	60	12,23	24,46



ALUMINIUM STONE LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKRA 60-SL01	60	19,57	39,14
PKRA 60-SL05	60	19,57	39,14
PKRA 60-SL08	60	19,57	39,14
PKRA 60-SL18	60	19,57	39,14

PUNCHED SUPPORT - Natural aluminium
bar lenght 2 cm - pack. 1 PCS

Article	H mm	€/pack.
PKGS 37	37	0,35

ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml





Article	H mm	€/ml	€/Pcs
PKRA 60-EYP01	60	14,68	29,36
PKRA 60-EYP11	60	14,68	29,36

COLOURS


KALEIDOS

STONE LINE

EASY LINE



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Choose "PROSKIRTING ROUND 60" according to the desired finish.
2. Fix the perforated support to the wall with the dowels every approximately 50 cm.
3. If applicable, install low voltage electrical cables such as network, telephone, TV and satellite cables.
4. Fix "PROSKIRTING ROUND 60" to the supports.

INTERNAL and EXTERNAL CORNERS, END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

EXTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
REPRAA 60/1	60	10,60

INTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
RIPRAA 60/1	60	10,60

END CAPS R / L - ANODISED SILVER ALUMINIUM
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRAA 60/1	60	17,32

EXTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
REPRA 60-SL01/1	60	16,96
REPRA 60-SL05/1	60	16,96
REPRA 60-SL08/1	60	16,96
REPRA 60-SL18/1	60	16,96

INTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
RIPRA 60-SL01/1	60	16,96
RIPRA 60-SL05/1	60	16,96
RIPRA 60-SL08/1	60	16,96
RIPRA 60-SL18/1	60	16,96

END CAPS R / L - ALUMINIUM STONE LINE
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRA 60-SL01/1	60	27,72
TPKRA 60-SL05/1	60	27,72
TPKRA 60-SL08/1	60	27,72
TPKRA 60-SL18/1	60	27,72

EXTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS


Article	H mm	€/Pack
REPRA 60-EYP01/1	60	12,72
REPRA 60-EYP11/1	60	12,72

INTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
RIPRA 60-EYP01/1	60	12,72
RIPRA 60-EYP11/1	60	12,72

END CAPS R / L - ALUMINIUM EASY LINE
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRA 60-EYP01/1	60	20,78
TPKRA 60-EYP11/1	60	20,78



Prices are referred to whole packs, 10% increase for minimum orders of 10 pcs, 20% increase for orders of less than 10 pcs.


PROSKIRTING ROUND 80

ANODISED SILVER AND VARNISHED ALUMINIUM


PROSKIRTING ROUND 80 is an anodized, polished, brushed and painted aluminum skirting board profile in various versions, 80 mm high and 10 mm wide which can be fixed directly to the wall with adhesive or via an aluminum support. The aluminum support is 20 mm long and is fixed with dowels to the wall, approximately every 50 cm. PROSKIRTING ROUND 80 in aluminum is suitable as a skirting board in any internal environment.

Available from June 2026

NEWS



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Choose "PROSKIRTING ROUND 40" according to the desired finish. 2. Fix the perforated support to the wall with the dowels every approximately 50 cm. 3. If applicable, install low voltage electrical cables such as network, telephone, TV and satellite cables. 4. Fix "PROSKIRTING ROUND 40" to the supports.



ANODIZED SILVER ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKRAA 80	80	14,08	28,16

PUNCHED SUPPORT - Natural aluminium
bar lenght 2 cm - pack. 1 PCS

Article	H mm	€/pack.
PKGS 55	55	0,37



ALUMINIUM STONE LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml


Article	H mm	€/ml	€/Pcs
PKRA 80-SL01	80	22,88	45,76
PKRA 80-SL05	80	22,88	45,76
PKRA 80-SL18	80	22,88	45,76

ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKRA 80-EYP01	80	16,90	33,80
PKRA 80-EYP11	80	16,90	33,80

COLOURS

KALEIDOS



INTERNAL and EXTERNAL CORNERS, END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

EXTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
REPKRAA 80/1	80	11,42

EXTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKRA 80-SL01/1	80	18,27
REPKRA 80-SL05/1	80	18,27
REPKRA 80-SL18/1	80	18,27

EXTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKRA 80-EYP01/1	80	13,71
REPKRA 80-EYP11/1	80	13,71

INTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
RIPKRAA 80/1	40	11,42

INTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
RIPKRA 80-SL01/1	80	18,27
RIPKRA 80-SL05/1	80	18,27
RIPKRA 80-SL18/1	80	18,27

INTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
RIPKRA 80-EYP01/1	80	13,71
RIPKRA 80-EYP11/1	80	13,71

END CAPS R / L - ANODISED SILVER ALUMINIUM
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRAA 80/1	80	18,30

END CAPS R / L - ALUMINIUM STONE LINE
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRA 80-SL01/1	80	29,28
TPKRA 80-SL05/1	80	29,28
TPKRA 80-SL18/1	80	29,28

END CAPS R / L - ALUMINIUM EASY LINE
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack
TPKRA 80-EYP01/1	80	21,94
TPKRA 80-EYP11/1	80	21,94

NEWS
KALEIDOS

PROSKIRTING LIST is a skirting/baseboard profile in different finishes anodized and varnished aluminium, 40 mm high and 10 mm wide which can be fixed directly to the wall with adhesive (PKLT ... 40A non-inspectable version) or with aluminum supports (inspectable version PKLT ... 40). The aluminum supports, 20 mm long, are fixed with plugs to the wall, every about 50 cm. PROSKIRTING LIST 40 in aluminum is suitable in any indoor environment.

PROSKIRTING LIST 40

ANODISED SILVER AND VARNISHED ALUMINIUM



ANODISED SILVER ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTAA 40	40	9,80	19,60
PKLTAA 40A	40	12,73	25,46

"A" at the end of the product code = Item with adhesive

PUNCHED SUPPORT - Natural aluminium
bar lenght 2 cm - pack. 1 PCS

Article	H mm	€/pack.
PKGS 37	37	0,35



VARNISHED ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml


Article	H mm	€/ml	€/Pcs
PKLTA 40-SL01	40	15,68	31,36
PKLTA 40-SL01A	40	20,38	40,76
PKLTA 40-SL05	40	15,68	31,36
PKLTA 40-SL05A	40	20,38	40,76
PKLTA 40-SL18	40	15,68	31,36
PKLTA 40-SL18A	40	20,38	40,76

"A" at the end of the product code = Item with adhesive


ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTA 40-EYP01	40	11,62	23,24
PKLTA 40-EYP01A	40	15,11	30,22
PKLTA 40-EYP11	40	11,62	23,24
PKLTA 40-EYP11A	40	15,11	30,22

"A" at the end of the product code = Item with adhesive



LAYING EXAMPLE



LAYING INSTRUCTIONS

1. Choose "PROSKIRTING LIST" in the desired finish and height. 2. Fix the punched support to the wall with screws every 50 cm. 3. If expected, laying the low-voltage electric cables like web, computer, telephone and satellite TV. 4. Attach the profile to the support applying low pressure.

COLOURS


KALEIDOS

STONE LINE

EASY LINE




AA - Anod. silver aluminium



SL01 - Stone white



SL05 - Stone gray



SL18 - Stone white cement



EYP01 - MATT white varnished (RAL 9016)



EYP11 - MATT black varnished

INTERNAL and EXTERNAL CORNERS, END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

INTERNAL / EXTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
REPKLTA 40/1	40	8,49

INTERNAL / EXTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKLTA 40-SL01/1	40	13,25
REPKLTA 40-SL05/1	40	13,25
REPKLTA 40-SL18/1	40	13,25

INTERNAL / EXTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKLTA 40-EYP01/1	40	10,19
REPKLTA 40-EYP11/1	40	10,19

REPKLTA... 40/1



END CAPS - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
TPKLTA 40/1	40	8,17

END CAPS - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
TPKLTA 40-SL01/1	40	13,07
TPKLTA 40-SL05/1	40	13,07
TPKLTA 40-SL18/1	40	13,07

END CAPS - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
TPKLTA 40-EYP01/1	40	9,80
TPKLTA 40-EYP11/1	40	9,80

TPKLTA... 40/1



PROSKIRTING LIST 60

ANODISED SILVER AND VARNISHED ALUMINIUM


PROSKIRTING LIST is a skirting/baseboard profile in different finishes anodized and varnished aluminium, 60 mm high and 10 mm wide which can be fixed directly to the wall with adhesive (PKLT .. 60A non-inspectable version) or with aluminum supports (inspectable version PKLT .. 60). The aluminum supports, 20 mm long, are fixed with plugs to the wall, every about 50 cm. PROSKIRTING LIST 60 in aluminum is suitable in any indoor environment.

Available from June 2026


NEWS

PKGS 37
scale 1:1

PKLT... 60
scale 1:1



LAYING EXAMPLE



LAYING INSTRUCTIONS

1. Choose "PROSKIRTING LIST" in the desired finish and height.
2. Fix the punched support to the wall with screws every 50 cm. 3. If expected, laying the low-voltage electric cables like web, computer, telephone and satellite TV. 4. Attach the profile to the support applying low pressure.



ANODISED SILVER ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTAA 60	60	12,23	24,46
PKLTAA 60A	60	15,90	31,80

"A" at the end of the product code = Item with adhesive

PUNCHED SUPPORT - Natural aluminium
bar lenght 2 cm - pack. 1 PCS

Article	H mm	€/pack.
PKGS 37	37	0,35



VARNISHED ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTA 60-SL01	60	19,57	39,14
PKLTA 60-SL01A	60	25,44	50,88
PKLTA 60-SL05	60	19,57	39,14
PKLTA 60-SL05A	60	25,44	50,88
PKLTA 60-SL08	60	19,57	39,14
PKLTA 60-SL08A	60	25,44	50,88
PKLTA 60-SL018	60	19,57	39,14
PKLTA 60-SL018A	60	25,44	50,88

"A" at the end of the product code = Item with adhesive

ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTA 60-EYP01	60	14,68	29,36
PKLTA 60-EYP01A	60	19,08	38,16
PKLTA 60-EYP11	60	14,68	29,36
PKLTA 60-EYP11A	60	19,08	38,16

"A" at the end of the product code = Item with adhesive

COLOURS



AA - Anod. silver aluminium

KALEIDOS




SL01 - Stone white

STONE LINE



SL05 - Stone gray



SL08 - Stone antradrak

EASY LINE



EYP01 - MATT white varnished (RAL 9016)

EYP11 - MATT black varnished

INTERNAL and EXTERNAL CORNERS, END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

End caps
TPKLT... 60/1



Internal / external corners
REPKLTA... 60/1



INTERNAL / EXTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
REPKLTA 60/1	60	10,60

INTERNAL / EXTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKLTA 60-SL01/1	60	16,96
REPKLTA 60-SL05/1	60	16,96
REPKLTA 60-SL08/1	60	16,96
REPKLTA 60-SL18/1	60	16,96

INTERNAL / EXTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
REPKLTA 40-EYP01/1	40	12,72
REPKLTA 40-EYP11/1	40	12,72

END CAPS - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
TPKLTAA 60/1	60	8,66

END CAPS - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
TPKLTA 60-SL01/1	60	13,86
TPKLTA 60-SL05/1	60	13,86
TPKLTA 60-SL08/1	60	13,86
TPKLTA 60-SL18/1	60	13,86

END CAPS - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
TPKLTA 60-EYP01/1	60	10,39
TPKLTA 60-EYP11/1	60	10,39

**NEWS
KALEIDOS**

PROSKIRTING LIST is a skirting/baseboard profile in different finishes anodized and varnished aluminium, 80 mm high and 10 mm wide which can be fixed directly to the wall with adhesive (PKLT .. 80A non-inspectable version) or with aluminum supports (inspectable version PKLT .. 80). The aluminum supports, 20 mm long, are fixed with plugs to the wall, every about 50 cm. PROSKIRTING LIST 80 in aluminum is suitable in any indoor environment.

PROSKIRTING LIST 80

ANODISED SILVER AND VARNISHED ALUMINIUM



ANODISED SILVER ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTAA 80	80	14,30	28,60
PKLTAA 80A	80	18,61	37,22

"A" at the end of the product code = Item with adhesive

PUNCHED SUPPORT - Natural aluminium
bar lenght 2 cm - pack. 1 PCS

Article	H mm	€/pack.
PKGS 55	55	0,37



VARNISHED ALUMINIUM thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTA 80-SL01	80	22,88	45,76
PKLTA 80-SL01A	80	29,74	59,48
PKLTA 80-SL05	80	22,88	45,76
PKLTA 80-SL05A	80	29,74	59,48
PKLTA 80-SL018	80	22,88	45,76
PKLTA 80-SL018A	80	29,74	59,48

"A" at the end of the product code = Item with adhesive

ALUMINIUM EASY LINE thermo packed
bar lenght 2 ml - pack. 20 PCS - 40 ml

Article	H mm	€/ml	€/Pcs
PKLTA 80-EYP01	80	16,90	33,80
PKLTA 80-EYP01A	80	21,94	43,88
PKLTA 80-EYP11	80	16,90	33,80
PKLTA 80-EYP11A	80	21,94	43,88

"A" at the end of the product code = Item with adhesive

COLOURS


KALEIDOS

STONE LINE

EASY LINE



AA - Anod. silver aluminium



SL01 - Stone white




SL05 - Stone gray





SL18 - Stone white cement




EYP01 - MATT white varnished (RAL 9016)



EYP11 - MATT black varnished

PKALA 80..
scale 1:1PKGS 55
scale 1:1

EXAMPLE FOR THE LAYING



ISTRUZIONI TECNICHE DI POSA

1. Choose "PROSKIRTING LIST" in the desired finish and height.
2. Fix the punched support to the wall with screws every 50 cm.
3. If expected, laying the low-voltage electric cables like web, computer, telephone and satellite TV.
4. Attach the profile to the support applying low pressure.

INTERNAL and EXTERNAL CORNERS, END CAPS

ANODISED SILVER AND VARNISHED ALUMINIUM

INTERNAL / EXTERNAL CORNER - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
REPCLTAA 80/1	80	11,42

INTERNAL / EXTERNAL CORNER - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
REPCLTA 80-SL01/1	80	18,27
REPCLTA 80-SL05/1	80	18,27
REPCLTA 80-SL18/1	80	18,27

INTERNAL / EXTERNAL CORNER - ALUMINIUM EASY LINE
pack. 1 PCS

Article	H mm	€/Pack
REPCLTA 80-EYP01/1	80	13,71
REPCLTA 80-EYP11/1	80	13,71

END CAPS - ANODISED SILVER ALUMINIUM
pack. 1 PCS

Article	H mm	€/Pack
TPKLTA 80/1	80	9,15

END CAPS - ALUMINIUM STONE LINE
pack. 1 PCS

Article	H mm	€/Pack
TPKLTA 80-SL01/1	80	14,64
TPKLTA 80-SL05/1	80	14,64
TPKLTA 80-SL18/1	80	14,64

END CAPS - ALUMINIUM EASY LINE
pack. 1 PCS


Article	H mm	€/Pack
TPKLTA 80-EYP01/1	80	10,97
TPKLTA 80-EYP11/1	80	10,97

End caps
TPKLTA... 80/1Internal / external corners
REPCLT... 80/1

PROSKIRTING

ANODIZED SILVER ALUMINIUM

PROSKIRTING is an innovative patented "cable channel" skirting in anodized aluminium. Studied and designed to resolve various problems related to the installation of skirting and to the laying of electrical, computer and telephone cables and other service systems. **PROSKIRTING** has been designed to offer a dual function: 1- **PROSKIRTING** complete PKAA 80 is a snap-on inspectable skirting consisting of a support PKGS 66 to be screwed to the wall and the visible profile **PROSKIRTING** PKAA 80. 2- **PROSKIRTING** PKAA 80 is the visible skirting profile to be fixed directly with silicone/adhesive. It is not inspectable like **PROSKIRTING** complete; it is also available in a self-adhesive version (PKAA 80A).



ONLY SKIRTING (for sale singly) - ANODIZED SILVER ALUMINIUM
thermo packed - bar length 2 lm - pack. 10 Pcs - 20 lm

Article	H mm	€/lm	€/Pc
PKAA 80	80	15,70	31,40
PKAA 80A	80	20,63	41,26


"A" at the end of the product code = Item with adhesive

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



Advantages: profile to be glued. Aesthetically superior thanks to the HI-TECH design with rounded shell-shape top and bottom edges that are easy to clean. PROSKIRTING is made in anodized aluminium with silver finish; the anodizing layer is approx. 15/20 micron. Recommended for indoor and outdoor use thanks to its good anti-oxidation properties.

- Single visible skirting profile, which may be inspectable or fixed.
- Minimum stock investment with just 2 products for three functions.
- Easy to install and clean.
- Patented innovative HI-TECH design.
- Inside-outside corners-end caps and joints varnished in the same finish as the profile.
- The PROSKIRTING profile is antistatic and stops electromagnetic and electrostatic discharge.




POWER SUPPLY BOX
SOCKET with FASTENING BASIS

Article	€/Pc
SPA 1820	22,08

SWITCH BOX
with BOX BASIS

Article	€/Pc
SI 1410	18,64



JUNCTION BOX
with FASTENING BASIS


Article	€/Pc
SD 1210	16,57

VERTICAL CABLE DUCT PROFILE
bar length 2,7 lm

Article	€/lm
PSPV	12,44

It matches with CSPPK 80

EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Choose the system with or without support 2. Fix the support to the wall with screws and screw anchors at 50 cm intervals (recommended).
 3. When laying without support, thoroughly clean the surface ensuring that it is grease-free and dry, apply the silicone on the knurled sides of the profiles and lay correctly by applying pressure evenly over the whole profile without using a hammer.
 4. For the "PROSKIRTING" with adhesive, application is recommended at a temperature of at least 15°.
- Always use the inside/outside corner linking elements and end caps for impeccable, faultless laying.

CORNERS, END CAPS and JOINTS

VARNISHED PLASTIC SILVER FINISH.




PKAGI 80/1
internal corner



PKAGE 80/1
external corner



PKGIN 80/1
JOINT



PKTDSAA 80/1
end caps

IN/EXTERNAL CORNER - VARNISHED PLASTIC (silver finish.)
pack. 1 Pcs

Article	H x L mm	€/Pack.
PKAGI 80/1	80 x 40	5,08
PKAGE 80/1	80 x 40	5,08

JOINTS - VARNISHED PLASTIC (silver finish.) - pack. 1 Pcs

Article	H mm	€/Pack.
PKGIN 80/1	80	4,13

END CAPS R / L - VARNISHED PLASTIC (silver finish.)
pack. 2 Pcs (1 right and 1 left)

Article	H mm	€/Pack.
PKTDSAA 80/1	80	8,25



